

# Corrigendum: thymoquinone inhibits virulence related traits of cronobacter sakaza...

[Health & Medicine](#)



A corrigendum on

[Thymoquinone Inhibits Virulence Related Traits of \*Cronobacter sakazakii\* ATCC 29544 and Has Anti-biofilm Formation Potential](#)

by Shi, C., Yan, C., Sui, Y., Sun, Y., Guo, D., Chen, Y., et al. (2017). *Front. Microbiol.* 8: 2220. doi: [10.3389/fmicb.2017.02220](#)

In the first paragraph in the “ Introduction” of this article, the number of *Cronobacter* species was incorrectly described as ten. Actually, *Cronobacter pulveris*, *Cronobacter helveticus* and *Cronobacter turicensis* were removed from the genus in 2014.

The original sentence should be corrected as follows: *Cronobacter* spp. is currently considered to consist of 7 species: *Cronobacter sakazakii*, *C. malonaticus*, *C. universalis*, *C. dublinensis*, *C. muytjensii*, *C. condiment* , and *C. zurichensis* ( [Stephan et al., 2014](#) ), among which *C. sakazakii* is one of the two group 1 clinically relevant species that form the majority of the clinical isolates. The authors regret this error.

The original article has been updated.

## **Conflict of Interest Statement**

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

## References

Stephan, R., Grim, C. J., Gopinath, G. R., Mammel, M. K., Sathyamoorthy, V., Trach, L. H., et al. (2014). Re-examination of the taxonomic status of *Enterobacter helveticus*, *Enterobacter pulveris* and *Enterobacter turicensis* as members of the genus *Cronobacter* and their reclassification in the genera *Franconibacter* gen. nov. and *Siccibacter* gen. nov. as *Franconibacter helveticus* comb. nov., *Franconibacter pulveris* comb. nov. and *Siccibacter turicensis* comb. nov., respectively. *Int. J. Syst. Evol. Microbiol.* 64, 3402–3410. doi: 10.1099/ijs.0.059832-0

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)