

Overdoses,
prescription opioids,
heroin, and illicitly
produced fentanyl,



**ASSIGN
BUSTER**

Overdoses, the statistics. Depressants are often sources of relief for people with chronic pain, anxiety problems and can comfort people with hyperactive body functions. Often though, prescribed opium can and should be taken as prescribed by doctors, over 20,000 deaths occurred between January of 2016 to January of 2017 due to overdosage of synthetic opioids(5). Opioids can give the drug abuser a sense of euphoria and can help individuals relax in an uncomfortable situation, and because of that relaxation, depressants also boost confidence levels. In a world where finding these drugs in over the counter medicines, it can sometimes encourage an individual to drive towards certain addictions that they may not be aware of.

In 2015 nearly 33,000 Americans died as a result of opioid overdoses, including prescription opioids, heroin, and illicitly produced Fentanyl, a strong artificial opioid. That very same year, an approximated two million individuals within the US suffered from substance use disorders associated with prescription opioid pain relievers, and 591,000 suffered from a heroin use disorder. Roughly 21 to 29 % of patients prescribed opioids for chronic pain misuse them, between eight and twelve % develop an opioid use disorder.

An approximate 4 to 6 % who misuse prescription opioids transition to heroin. About 80 % of individuals who use heroin 1st misused prescription opioids(4). The Centers for Disease Control and Prevention estimates that the total "economic burden" of prescription opioid misuse alone in the United States is \$78.5 billion a year, including treatment for the addiction, and paying for the drugs (). This issue has become a public health crisis with overwhelming consequences such as the rise of neonatal abstinence <https://assignbuster.com/overdoses-prescription-opioids-heroin-and-illicitly-produced-fentanyl/>

syndromewhich may be connected to opioid use and misuse throughout pregnancy. The risein injection drug use has additionally contributed to the escalation ofinfectious diseases including HIV and hepatitis C. As seen throughout thehistory of medicine, science may be a crucial a part of the answer in resolvingthe problem.

(4)