

Comparative genomics and molecular characterization of the maize pin family prote...

[Health & Medicine](#)



A commentary on

Bohn-Courseau, I. (2010). Auxin: a major regulator of organogenesis. *C. R. Biol.* 333, 290–296.

Brunoud, G., Wells, D. M., Oliva, M., Larrieu, A., Mirabet, V., Burrow, A. H., Beeckman, T., Kepinski, S., Traas, J., Bennett, M. J., and Vernoux, T. (2012). A novel sensor to map auxin response and distribution at high spatio-temporal resolution. *Nature* 482, 103–106.

Carraro, N., Forestan, C., Canova, S., Traas, J., and Varotto, S. (2006). ZmPIN1a and ZmPIN1b encode two novel putative candidates for polar auxin transport and plant architecture determination of maize. *Plant Physiol.* 142, 254–264.

Delseny, M. (2009). Le séquençage des génomes de plantes: vers une nouvelle révolution en biologie végétale. *Cah. Agric.* 18, 468–473.

Forestan, C., Farinati, S., and Varotto, S. (2012). The maize PIN gene family of auxin transporters. *Front. Plant Sci.* 3: 16.

Forestan, C., and Varotto, S. (2010). PIN1 auxin efflux carriers localization studies in *Zea mays*. *Plant Signal. Behav.* 5, 436–439.

Friml, J., Benkova, E., Blilou, I., Wisniewska, J., Hamann, T., Ljung, K., Woody, S., Sandberg, G., Scheres, B., Jurgens, G., and Palme, K. (2002a). AtPIN4 mediates sink-driven auxin gradients and root patterning in *Arabidopsis*. *Cell* 108, 661–673.

Friml, J., Wisniewska, J., Benkova, E., Mendgen, K., and Palme, K. (2002b).

Lateral relocation of auxin efflux regulator PIN3 mediates tropism in *Arabidopsis*. *Nature* 415, 806–809.

Galweiler, L., Guan, C., Muller, A., Wisman, E., Mendgen, K., Yephremov, A., and Palme, K. (1998). Regulation of polar auxin transport by AtPIN1 in *Arabidopsis* vascular tissue. *Science* 282, 2226–2230.

Geisler, M., and Murphy, A. S. (2006). The ABC of auxin transport: the role of p-glycoproteins in plant development. *FEBS Lett.* 580, 1094–1102.

Gomez-Porras, J. L., Riano-Pachon, D. M., Dreyer, I., Mayer, J. E., and Mueller-Roeber, B. (2007). Genome-wide analysis of ABA-responsive elements ABRE and CE3 reveals divergent patterns in *Arabidopsis* and rice. *BMC Genomics* 8, 260. doi: 10.1186/1471-2164-8-260

Goodstein, D. M., Shu, S., Howson, R., Neupane, R., Hayes, R. D., Fazo, J., Mitros, T., Dirks, W., Hellsten, U., Putnam, N., and Rokhsar, D. S. (2011). Phytozome: a comparative platform for green plant genomics. *Nucleic Acids Res.* 40, 1178–1186.

Kramer, E. M. (2004). PIN and AUX/LAX proteins: their role in auxin accumulation. *Trends Plant Sci.* 9, 578–582.

Kramer, E. M., and Bennett, M. J. (2006). Auxin transport: a field in flux. *Trends Plant Sci.* 11, 382–386.

Kramer, E. M., Rutschow, H. L., and Mabie, S. S. (2011). AuxV: a database of auxin transport velocities. *Trends Plant Sci.* 16, 461–463.

<https://assignbuster.com/comparative-genomics-and-molecular-characterization-of-the-maize-pin-family-proteins/>

Krecek, P., Skupa, P., Libus, J., Naramoto, S., Tejos, R., Friml, J., and Zazimalova, E. (2009). The PIN-FORMED (PIN) protein family of auxin transporters. *Genome Biol.* 10, 249.

Muller, A., Guan, C., Galweiler, L., Tanzler, P., Huijser, P., Marchant, A., Parry, G., Bennett, M., Wisman, E., and Palme, K. (1998). AtPIN2 defines a locus of *Arabidopsis* for root gravitropism control. *EMBO J.* 17, 6903–6911.

Paponov, I. A., Teale, W. D., Trebar, M., Blilou, I., and Palme, K. (2005). The PIN auxin efflux facilitators: evolutionary and functional perspectives. *Trends Plant Sci.* 10, 170–177.

Rouard, M., Guignon, V., Aluome, C., Laporte, M.-A., Droc, G., Walde, C., Zmasek, C. M., Périn, C., and Conte, M. G. (2011). GreenPhylDB v2. 0: comparative and functional genomics in plants. *Nucleic Acids Res.* 39, D1095–D1102.

Scarpella, E., Marcos, D., Friml, J., and Berleth, T. (2006). Control of leaf vascular patterning by polar auxin transport. *Genes Dev.* 20, 1015–1027.

Schnabel, E. L., and Frugoli, J. (2004). The PIN and LAX families of auxin transport genes in *Medicago truncatula*. *Mol. Genet. Genomics* 272, 420–432.

Shen, C., Bai, Y., Wang, S., Zhang, S., Wu, Y., Chen, M., Jiang, D., and Qi, Y. (2010). Expression profile of PIN, AUX/LAX and PGP auxin transporter gene families in *Sorghum bicolor* under phytohormone and abiotic stress. *FEBS J.* 277, 2954–2969.

Titapiwatanakun, B., and Murphy, A. S. (2009). Post-transcriptional regulation of auxin transport proteins: cellular trafficking, protein phosphorylation, protein maturation, ubiquitination, and membrane composition. *J. Exp. Bot.* 60, 1093–1107.

Tromas, A., and Perrot-Rechenmann, C. (2010). Recent progress in auxin biology. *C. R. Biol.* 333, 297–306.

Van Bel, M., Proost, S., Wischnitzki, E., Mohavedi, S., Scheerlinck, C., Van De Peer, Y., and Vandepoele, K. (2011). Dissecting plant genomes with the PLAZA comparative genomics platform. *Plant Physiol.* 158, 590–600.

Wang, J. R., Hu, H., Wang, G. H., Li, J., Chen, J. Y., and Wu, P. (2009). Expression of PIN genes in rice (*Oryza sativa* L.): tissue specificity and regulation by hormones. *Mol. Plant* 2, 823–831.

Zazimalova, E., Krecek, P., Skupa, P., Hoyerova, K., and Petrasek, J. (2007). Polar transport of the plant hormone auxin – the role of PIN-FORMED (PIN) proteins. *Cell. Mol. Life Sci.* 64, 1621–1637.

Zazímalová, E., Murphy, A. S., Yang, H., Hoyerová, K., and Hosek, P. (2010). Auxin transporters – why so many? *Cold Spring Harb. Perspect. Boil.* 2, a001552.