

Chemical pesticides and human health: the urgent need for a new concept in agricu...

[Health & Medicine](#)



Introduction

Pesticides are substances or mixtures of substances that are mainly used in agriculture or in public health protection programs in order to protect plants from pests, weeds or diseases, and humans from vector-borne diseases, such as malaria, dengue fever, and schistosomiasis. Insecticides, fungicides, herbicides, rodenticides, and plant growth regulators are typical examples ([1](#) - [3](#)). These products are also used for other purposes, such as the improvement and maintenance of non-agricultural areas like public urban green areas and sport fields ([4](#), [5](#)). Furthermore, there are other less known applications of these chemical substances, such as in pet shampoos ([4](#)), building materials, and boat bottoms in order to eliminate or prevent the presence of unwanted species ([6](#)).

Many of the pesticides have been associated with health and environmental issues ([1](#), [2](#), [7](#) - [12](#)), and the agricultural use of certain pesticides has been abandoned ([2](#)). Exposure to pesticides can be through contact with the skin, ingestion, or inhalation. The type of pesticide, the duration and route of exposure, and the individual health status (e. g., nutritional deficiencies and healthy/damaged skin) are determining factors in the possible health outcome. Within a human or animal body, pesticides may be metabolized, excreted, stored, or bioaccumulated in body fat ([1](#), [2](#), [13](#)). The numerous negative health effects that have been associated with chemical pesticides include, among other effects, dermatological, gastrointestinal, neurological, carcinogenic, respiratory, reproductive, and endocrine effects ([1](#), [2](#), [8](#), [10](#), [14](#) - [30](#)). Furthermore, high occupational,

accidental, or intentional exposure to pesticides can result in hospitalization and death ([1](#), [31](#)).

Residues of pesticides can be found in a great variety of everyday foods and beverages, including for instance cooked meals, water, wine, fruit juices, refreshments, and animal feeds ([32 – 39](#)). Furthermore, it should be noted that washing and peeling cannot completely remove the residues ([40](#)). In the majority of cases, the concentrations do not exceed the legislatively determined safe levels ([36](#) , [39](#) , [41](#) , [42](#)). However, these “safe limits” may underestimate the real health risk as in the case of simultaneous exposure to two or more chemical substances, which occurs in real-life conditions and may have synergistic effects ([1](#) , [43](#)). Pesticides residues have also been detected in human breast milk samples, and there are concerns about prenatal exposure and health effects in children ([13](#) , [44 – 46](#)).

This current review aims at highlighting the urgent need for a new concept in agriculture involving a drastic reduction in the use of chemical pesticides. Given the fact that the health effects have been extensively discussed in the current literature, this paper focuses on the major chronic health effects and recent findings regarding health effects that have been associated with exposure to common classes of chemical pesticides, i. e., organochlorines, organophosphates, carbamates, pyrethroids, triazines, and neonicotinoids. More emphasis is given to the widely used herbicide “glyphosate,” which is an organophosphate pesticide very closely related to current agriculture ([47](#)). The important health effects, as discussed below, reveal the urgent need for implementing alternative solutions.

Organochlorine Pesticides

The most widely known organochlorine pesticide is dichlorodiphenyltrichloroethane, i. e., the insecticide DDT, the uncontrolled use of which raised many environmental and human health issues ([2](#), [48](#), [49](#)). Dieldrin, endosulfan, heptachlor, dicofol, and methoxychlor are some other organochlorines used as pesticides.

There are a few countries that still use DDT or plan to reintroduce it for public health purposes ([13](#), [48](#), [49](#)). Furthermore, DDT is also used as a solution in certain solvents ([2](#)). It is a ubiquitous chemical substance, and it is believed that every living organism on Earth has a DDT body burden, mainly stored in the fat ([48](#), [50](#)). There is also evidence that DDT and its metabolite p, p-dichlorodiphenyldichloroethylene (DDE) may have endocrine-disrupting potential and carcinogenic action ([48](#)). *In utero* exposure to both DDT and DDE has been associated with neurodevelopmental effects in children ([51](#)). Moreover, a recent study related DDE to hepatic lipid dysfunction in rats ([50](#)).

The general class of organochlorine pesticides has been associated with health effects, such as endocrine disorders ([10](#), [52](#)), effects on embryonic development ([53](#)), lipid metabolism ([54](#)), and hematological and hepatic alterations ([55](#)). Their carcinogenic potential is questioned, but concerns about possible carcinogenic action should not be underestimated ([38](#), [39](#), [56](#), [57](#)).

Organophosphorus Pesticides

Organophosphates, which were promoted as a more ecological alternative to organochlorines ([58](#)), include a great variety of pesticides, the most common of which is glyphosate. This class also includes other known pesticides, such as malathion, parathion, and dimethoate; some are known for their endocrine-disrupting potential ([10](#), [59](#), [60](#)). This class of pesticides has been associated with effects on the function of cholinesterase enzymes ([58](#)), decrease in insulin secretion, disruption of normal cellular metabolism of proteins, carbohydrates and fats ([54](#)), and also with genotoxic effects ([61](#)) and effects on mitochondrial function, causing cellular oxidative stress and problems to the nervous and endocrine systems ([54](#)).

Population-based studies have revealed possible relations between the exposure to organophosphorus pesticides and serious health effects including cardiovascular diseases ([62](#)), negative effects on the male reproductive system ([63](#)) and on the nervous system ([58](#), [64](#) – [66](#)), dementia ([67](#)), and also a possible increased risk for non-Hodgkin's lymphoma ([68](#)). Furthermore, prenatal exposure to organophosphates has been correlated with decreased gestational duration ([69](#)) and neurological problems occurring in children ([70](#)).

Regarding glyphosate, the safety of which is the subject of an ongoing scientific controversy ([60](#), [71](#) – [76](#)), it is the most widely used herbicide in current agriculture ([47](#), [75](#)), especially since the introduction of glyphosate-tolerant genetically modified crops, such as certain types of

soybean and maize ([60](#), [77 - 80](#)). Its extensive use in genetically modified soybean cultivation has raised concerns about possible synergistic estrogenic effects due to the simultaneous exposure to glyphosate and to the phytoestrogen “ genistein,” which is a common isoflavone present in soybeans and soybean products ([80](#), [81](#)).

Glyphosate can display endocrine-disrupting activity ([80](#), [82](#)), affect human erythrocytes *in vitro* ([83](#)), and promote carcinogenicity in mouse skin ([84](#)). Furthermore, it is considered to cause extreme disruption in shikimate pathway, which is a pathway found in plants and bacteria as well as in human gut bacteria. This disruption may affect the supply of human organism with essential amino acids ([85](#)). Commercial glyphosate formulations are considered to be more toxic than the active substance alone ([80](#), [83](#), [86](#), [87](#)). Glyphosate-based herbicides, such as the well-known “ Roundup,” can cause DNA damages and act as endocrine disruptors in human cell lines ([60](#)) and in rat testicular cells ([88](#)), cause damages to cultured human cutaneous cells ([89](#)), and promote cell death in the testicular cells of experimental animals ([88](#), [90](#)). There is evidence also for their possible ability to affect cytoskeleton and intracellular transport ([91](#)).

A recent study examined the possible relation between glyphosate, genetically modified crops, and health deterioration in the USA. Correlation analyses raised concerns about possible connections between glyphosate use and various health effects and diseases, such as hypertension, diabetes, strokes, autism, kidney failure, Parkinson’s and Alzheimer’s diseases, and cancer ([82](#)). Furthermore, there are concerns about the possible ability of

glyphosate to cause gluten intolerance, a health problem associated with deficiencies in essential trace metals, reproductive issues, and increased risk to develop non-Hodgkin's lymphoma ([92](#)).

Carbamate Pesticides

Carbamate pesticides, such as aldicarb, carbofuran, and ziram, are another class of chemical pesticides that have been associated with endocrine-disrupting activity ([10](#) , [93](#)), possible reproductive disorders ([63](#) , [93](#)), and effects on cellular metabolic mechanisms and mitochondrial function ([54](#)). Moreover, *in vitro* studies have revealed the ability of carbamate pesticides to cause cytotoxic and genotoxic effects in hamster ovarian cells ([94](#)) and to induce apoptosis and necrosis in human immune cells ([95](#)), natural killer cells ([96](#) , [97](#)), and also apoptosis in T lymphocytes ([98](#)).

Furthermore, it has been confirmed that carbaryl, which belongs to the category of carbamate pesticides, can act as a ligand for the hepatic aryl hydrocarbon receptor, a transcription factor involved in the mechanism of dioxin toxicity ([99](#)). There is also evidence for the ability of carbamate pesticides to cause neurobehavioral effects ([65](#) , [100](#)), increased risk for dementia ([67](#)), and non-Hodgkin's lymphoma ([101](#)).

Other Classes of Chemical Pesticides

Triazines, such as atrazine, simazine, and ametryn, are another class of chemical pesticides that have been related to endocrine-disrupting effects and reproductive toxicity ([10](#) , [102](#) , [103](#)). Moreover, it was found that there is a possible statistical relationship between triazine herbicides and breast cancer incidence ([104](#)). Atrazine is the most known of the triazines, and it is <https://assignbuster.com/chemical-pesticides-and-human-health-the-urgent-need-for-a-new-concept-in-agriculture/>

a very widely used herbicide that has been associated with oxidative stress ([103](#)), cytotoxicity ([105](#), [106](#)), and dopaminergic effects ([107](#), [108](#)).

Furthermore, the exposure of experimental animals to atrazine has been associated with reproductive toxicity ([109](#)) and delays in sexual maturation ([110](#)).

Synthetic pyrethroids, such as fenvalerate, permethrin, and sumithrin, are considered to be among the safer insecticides currently available for agricultural and public health purposes ([111](#), [112](#)). However, there is evidence for their ability to display endocrine-disrupting activity ([10](#), [113](#)–[115](#)), and to affect reproductive parameters in experimental animals including reproductive behavior ([114](#), [116](#)). Furthermore, a recent study related more than one pyrethroid metabolite to DNA damages in human sperm, raising concerns about possible negative effects on human reproductive health ([117](#)). It should also be mentioned that there are also concerns about their possible ability to display developmental neurotoxicity ([25](#), [118](#), [119](#)).

Neonicotinoid pesticides, such as imidacloprid, thiacloprid, and guadipyr, are relatively new and also the most extensively used insecticides ([120](#)) that were promoted for their low risk for non-target organisms ([121](#)). However, there is plenty of evidence to the contrary ([115](#), [122](#)–[125](#)); their effect on bees is a common example ([124](#), [125](#)). There is also evidence for possible effects on the endocrine and reproductive systems of animals ([115](#), [126](#), [127](#)). Moreover, a recent study demonstrated that neonicotinoids are able to increase the expression of the enzyme aromatase, which is engaged in

breast cancer and also plays an important role during developmental periods ([128](#)).

Urgent Need toward Cleaner and Safer Agricultural Practices

Current agricultural practices include the wide production and extensive use of chemicals known for their ability to cause negative health effects in humans and wildlife and to degrade the natural environment. Therefore, an urgent strategic approach is needed for a reduction in the use of agrochemicals and for the implementation of sustainable practices.

Furthermore, current agriculture has to implement environmentally friendlier practices that pose fewer public health risks. Reforming agricultural practices aligned to fulfill these criteria is a step toward the sustainability of the agricultural sector in contrast to precision agriculture ([129 – 134](#)).

However, the reduction in the use of agrochemicals by applying them only when and where they are necessary, the spatiotemporal variability of all the soil and crop factors of a given field must be taken into consideration. This variability includes yield, field, soil, and crop variability but also factors, such as wind damage or flooding. Technological systems, such as geographical information systems, global positioning systems, and various sensors, can be useful ([130 – 132](#), [135](#)). These technological systems are developed by precision agriculture which of course we do not endorse, but we consider that selected technological tools can be used to decrease risks for environmental pollution and water pollution and to enhance economic benefits stemming from the reduction in the use of chemical products ([130](#), [132](#)).

<https://assignbuster.com/chemical-pesticides-and-human-health-the-urgent-need-for-a-new-concept-in-agriculture/>

It should be clear that the reform into an aggregate of machine-centered procedures and losing a human-centered character are not the desired. In contrast, the reduction in the use of pesticides assisted by innovative technological methods we strongly believe that may reduce the use of chemical substances or maybe it can lead to a total abandonment in many cases, such as in the case of urban green areas. The decision of the Italian village of Mals near the Austrian and Swiss borders to ban the use of pesticides and produce pesticide-free foods can be considered as a pioneer example across Europe. In 2014, more than 70% of the inhabitants of Mals who participated in a referendum voted against the use of pesticides ([136](#)). This historical decision apart that is consistent with the food sovereignty concept, which is discussed in the following section, also declares the need for disseminating information for raising awareness of the public in order to develop informed consents.

An innovative idea developed by the international movement “ Via Campesina,” was the democratic concept of food sovereignty that has accompanied the progress toward sustainability for more than 20 years. It acquired a strong basis in 2007 in the African village Nyéléni in Mali, where representatives from more than eighty countries adopted the “ Declaration of Nyéléni.” According to its principles, all the people of the world have the right to choose their own national and local policies to eliminate poverty, malnutrition, and hunger, to protect their traditions and also the natural environment ([137](#) – [141](#)).

The industrialization of agriculture has brought a series of problems including economic, social, and environmental impacts that local populations cannot manage. Furthermore, the overproduction of food, export-oriented monocultures, the demand for cheap labor, and the other characteristics of industrialization have clearly failed to solve the problems of hunger and malnutrition. On the contrary, inequitable food distribution, overexploitation of land and water sources, the overuse of agrochemicals, and the degradation of the natural environment are some of the results of the dominant agricultural model ([138](#), [142](#) – [144](#)). Food sovereignty promotes social, economic, and environmental sustainability, for instance, through the protection of the indigenous population and the production of food for distribution in local markets, and there is an ongoing effort for its recognition as a basic human right ([138](#) – [140](#), [142](#), [145](#)).

The dominant agricultural model has increased the chemical burden on natural environment ([140](#), [142](#)). Moreover, international agrochemical companies absorb traditional agricultural companies, leading to an industrialized agriculture model and leaving the local farmers and small producers to face the consequences ([138](#), [143](#)). In many cases, these people are obliged to adopt environmentally unfriendly techniques to increase their production in order to survive in the market, causing more environmental degradation ([138](#)). However, due to the fact that food sovereignty does not necessarily mean pesticide-free, organic food production, and because it does not determine pesticide use levels, for this reason, international eco-friendly standards should be implemented. People must be free to decide the method of production of their own food, and an

important component of this decision concerns agrochemical products. The decision of the people of Mals to reject pesticides can be considered a step in this direction.

Discussion

The need for protection against pests is a given and has its roots in antiquity, when both organic and chemical substances were applied as pesticides ([146](#)). Since then, numerous chemical pesticides have been produced, and now multinational agrochemical companies, which mostly control global food production, apply new chemical substances with pesticide properties and implement biotechnological advances, thus diverging from traditional agricultural methods. Furthermore, current agricultural practices are based on the wide use of chemical pesticides that have been associated with negative impacts on human health, wildlife, and natural environment ([9](#), [11](#), [120](#), [147](#), [148](#)).

Current agriculture has to deal with important factors, such as population growth, food security, health risks from chemical pesticides, pesticide resistance, degradation of the natural environment, and climate change ([149](#) – [155](#)). In recent years, some new concepts regarding agriculture and food production have appeared. A concept as such is climate-smart agriculture that seeks solutions in the new context of climate change ([152](#), [153](#)). Another major ongoing controversy exists between the advocates and the opponents of genetically engineered pesticide-resistant plants, regarding not only their safety ([29](#), [156](#), [157](#)) but also their impact on pesticide use ([158](#) – [160](#)).

Furthermore, the real-life chronic exposure to mixture of pesticides with possible additive or synergistic effects requires an in depth research. The underlying scientific uncertainty, the exposure of vulnerable groups and the fact that there are numerous possible mixtures reveal the real complex character of the problem ([161](#) – [163](#)). The combination of substances with probably carcinogenic or endocrine-disrupting effects may produce unknown adverse health effects. Therefore, the determination of “ safe” levels of exposure to single pesticides may underestimate the real health effects, ignoring also the chronic exposure to multiple chemical substances.

Taking into consideration the health and environmental effects of chemical pesticides, it is clear that the need for a new concept in agriculture is urgent. This new concept must be based on a drastic reduction in the application of chemical pesticides, and can result in health, environmental, and economic benefits ([164](#)) as it is also envisaged in European Common Agricultural Policy (CAP) ([165](#)).

We believe in developing pesticide-free zones by implementing a total ban at local level and in urban green spaces is easily achievable. Furthermore, alternative procedures to the current model of food production should be implemented in new agricultural policies targeting sustainable development and protection of the consumers’ health. Despite the difficulties of establishing an innovative concept, the transition to a new cleaner and safer agricultural model is necessary.

Author Contributions

Professor PN-S and Professor LH are the principal authors. Mr. SM contributed with proof reading, literature review, and editing. Mrs. CK and Mr. PS contributed with literature review and editing.

Conflict of Interest Statement

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

References

1. World Health Organization. *Public Health Impact of Pesticides Used in Agriculture*. England: World Health Organization (1990).

[Google Scholar](#)

2. Alewu B, Nosiri C. Pesticides and human health. In: Stoytcheva M, editor. *Pesticides in the Modern World – Effects of Pesticides Exposure*. InTech (2011). p. 231–50. Available from: <http://www.intechopen.com/books/pesticides-in-the-modern-world-effects-of-pesticides-exposure/pesticide-and-human-health>

[Google Scholar](#)

3. NSW EPA. *What Are Pesticides and How Do They Work?* (2013). Available from: <http://www.epa.nsw.gov.au/pesticides/pestwhatrhow.htm>

[Google Scholar](#)

4. Hoffman RS, Capel PD, Larson SJ. Comparison of pesticides in eight U. S. urban streams. *Environ Toxicol Chem* (2000) 19: 2249–58. doi: 10.1002/etc.5620190915

[CrossRef Full Text](#) | [Google Scholar](#)

5. Canadian Cancer Society. *Cosmetic Pesticides. Information Brief*. (2013). Available from: <https://www.cancer.ca/~media/cancer.ca/AB/get%20involved/take%20action/CosmeticPesticides-InformationBrief-AB.pdf>

[Google Scholar](#)

6. Johnston JJ. *Introduction to Pesticides and Wildlife*. USDA National Wildlife Research Center – Staff Publications. Paper 589 (2001). Available from: http://digitalcommons.unl.edu/icwdm_usdanwrc/589

[Google Scholar](#)

7. Hayes TB, Case P, Chui S, Chung D, Haeffele C, Haston K, et al. Pesticide mixtures, endocrine disruption, and amphibian declines: are we underestimating the impact? *Environ Health Perspect* (2006) 114: 40–50. doi: 10.1289/ehp.8051

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

8. Sanborn M, Kerr KJ, Sanin LH, Cole DC, Bassil KL, Vakil C. Non-cancer health effects of pesticides. Systematic review and implications for family doctors. *Can Fam Physician* (2007) 53: 1712–20.

[PubMed Abstract](#) | [Google Scholar](#)

<https://assignbuster.com/chemical-pesticides-and-human-health-the-urgent-need-for-a-new-concept-in-agriculture/>

9. Pimentel D, Burgess M. Environmental and economic costs of the application of pesticides primarily in the United States. In: Pimentel D, Peshin R, editors. *Integrated Pest Management*. New York, Heidelberg, Dordrecht, London: Springer Science + Business Media Dordrecht (2014). p. 47–71.

[Google Scholar](#)

10. Mnif W, Hassine AIH, Bouaziz A, Bartegi A, Thomas O, Roig B. Effect of endocrine disruptor pesticides: a review. *Int J Environ Res Public Health* (2011) 8: 2265–2203. doi: 10. 3390/ijerph8062265

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

11. Goulson D. Ecology: pesticides linked to bird declines. *Nature* (2014) 511: 295–6. doi: 10. 1038/nature13642

[CrossRef Full Text](#) | [Google Scholar](#)

12. Zheng S, Chen B, Qiu X, Chen M, Ma Z, Yu X. Distribution and risk assessment of 82 pesticides in Jiulong River and estuary. *Chemosphere* (2016) 144: 1177–92. doi: 10. 1016/j. chemosphere. 2015. 09. 050

[CrossRef Full Text](#) | [Google Scholar](#)

13. Pirsahab M, Limoe M, Namdari F, Khamutian R. Organochlorine pesticides residue in breast milk: a systematic review. *Med J Islam Repub Iran* (2015) 29: 228.

[PubMed Abstract](#) | [Google Scholar](#)

14. Semchuk KM, Love EJ, Lee RG. Parkinson's disease and exposure to agricultural work and pesticide chemicals. *Neurology* (1992) 42: 1328-35. doi: 10.1212/WNL. 42. 7. 1328

[CrossRef Full Text](#) | [Google Scholar](#)

15. Wesseling C, McConnell R, Partanen T, Hogstedt C. Agricultural pesticide use in developing countries: health effects and research needs. *Int J Health Serv* (1997) 27: 273-308. doi: 10.2190/E259-N3AH-TA1Y-H591

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

16. Eskenazi B, Bradman A, Castorina R. Exposures of children to organophosphate pesticides and their potential adverse health effects. *Environ Health Perspect* (1999) 107: 409-19. doi: 10.1289/ehp.99107s3409

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

17. Jaeger JW, Carlson IH, Porter WP. Endocrine, immune, and behavioral effects of aldicarb (carbamate), atrazine (triazine) and nitrate (fertilizer) mixtures at groundwater concentrations. *Toxicol Ind Health* (1999) 15: 133-51. doi: 10.1177/074823379901500111

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

18. García AM. Pesticide exposure and women's health. *Am J Ind Med* (2003) 44: 584-94. doi: 10.1002/ajim. 10256

[CrossRef Full Text](#) | [Google Scholar](#)

19. Salameh P, Waked M, Baldi I, Brochard P, Saleh BA. Respiratory diseases and pesticide exposure: a case-control study in Lebanon. *J Epidemiol Community Health* (2006) 60: 256–61. doi: 10.1136/jech.2005.039677

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

20. Weisenburger DD. Human health effects of agrichemical use. *Hum Pathol* (1993) 24: 571–6. doi: 10.1016/0046-8177(93)90234-8

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

21. Bradberry SM, Proudfoot AT, Vale JA. Glyphosate poisoning. *Toxicol Rev* (2004) 23: 159–67. doi: 10.2165/00139709-200423030-00003

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

22. Bretveld RW, Thomas CMG, Scheepers PTJ, Zielhuis GA, Roeleveld N. Pesticide exposure: the hormonal function of the female reproductive system disrupted? *Reprod Biol Endocrinol* (2006) 4: 30. doi: 10.1186/1477-7827-4-30

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

23. Bassil KL, Vakil C, Sanborn M, Cole DC, Kaur JS, Kerr KJ. Cancer health effects of pesticides. Systematic review. *Can Fam Physician* (2007) 53: 1704–11.

[PubMed Abstract](#) | [Google Scholar](#)

24. Hoppin JA, Umbach DM, London SJ, Henneberger PK, Kullman GJ, Alavanja MCR, et al. Pesticides and atopic and nonatopic asthma among farm women in the agricultural health study. *Am J Respir Crit Care Med* (2008) 177: 11–8. doi: 10.1164/rccm.200706-821OC

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

25. Bjørling-Poulsen M, Andersen HR, Grandjean P. Potential developmental neurotoxicity of pesticides used in Europe. *Environ Health* (2008) 7: 50. doi: 10.1186/1476-069X-7-50

[CrossRef Full Text](#) | [Google Scholar](#)

26. Roeleveld N, Bretveld R. The impact of pesticides on male fertility. *Curr Opin Obstet Gynecol* (2008) 20: 229–33. doi: 10.1097/GCO.0b013e3282fcc334

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

27. Osman KA. Pesticides and human health. In: Stoytcheva M, editor. *Pesticides in the Modern World – Effects of Pesticides Exposure*. InTech (2011). p. 206–30. Available from: <http://www.intechopen.com/books/pesticides-in-the-modern-world-effects-of-pesticides-exposure/pesticides-and-human-health>

[Google Scholar](#)

28. Mostafalou S, Abdollahi M. Pesticides and human chronic diseases: evidences, mechanisms, and perspectives. *Toxicol Appl Pharmacol* (2013) 268: 157–77. doi: 10.1016/j.taap.2013.01.025

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

29. Séralini GE, Clair E, Mesnage R, Gress S, Defarge N, Malatesta M, et al. Republished study: long-term toxicity of a Roundup herbicide and a Roundup-tolerant genetically modified maize. *Environ Sci Eur* (2014) 26: 14. doi: 10.1186/s12302-014-0014-5

[CrossRef Full Text](#) | [Google Scholar](#)

30. Thakur DS, Khot R, Joshi PP, Pandharipande M, Nagpure K. Glyphosate poisoning with acute pulmonary edema. *Toxicol Int* (2014) 21: 328–30. doi: 10.4103/0971-6580.155389

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

31. Gunnell D, Eddleston M, Phillips MR, Konradsen F. The global distribution of fatal pesticide self-poisoning: systematic review. *BMC Public Health* (2007) 7: 357. doi: 10.1186/1471-2458-7-357

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

32. McGill AE, Robinson J. Organochlorine insecticide residues in complete prepared meals: a 12-month survey in S. E. England. *Food Cosmet Toxicol* (1968) 6: 45–57. doi: 10.1016/0015-6264(68)90080-1

[CrossRef Full Text](#) | [Google Scholar](#)

33. Cabras P, Angioni A. Pesticide residues in grapes, wine, and their processing products. *J Agric Food Chem* (2000) 48: 967–73. doi: 10.1021/jf990727a

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

34. Zambonin CG, Quinto M, De Vistro N, Palmisano F. Solid-phase microextraction – gas chromatography mass spectrometry: a fast and simple screening method for the assessment of organophosphorus pesticides residues in wine and fruit juices. *Food Chem* (2004) 86: 269–74. doi: 10.1016/j.foodchem.2003.09.025

[CrossRef Full Text](#) | [Google Scholar](#)

35. Burnett M, Welford R. Case study: coca-cola and water in India: episode 2. *Corp Soc Responsib Environ Mgmt* (2007) 14: 298–304. doi: 10.1002/csr.97

[CrossRef Full Text](#) | [Google Scholar](#)

36. Lorenzin M. Pesticide residues in Italian ready-meals and dietary intake estimation. *J Environ Sci Health B* (2007) 42: 823–33. doi: 10.1080/03601230701555021

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

37. Nag SK, Raikwar MK. Persistent organochlorine pesticides residues in animal feed. *Environ Monit Assess* (2011) 174: 327–35. doi: 10.1007/s10661-010-1460-1

[CrossRef Full Text](#) | [Google Scholar](#)

38. Witczak A, Abdel-Gawad H. Assessment of health risk from organochlorine pesticides residues in high-fat spreadable foods produced in Poland. *J Environ Sci Health B* (2014) 49: 917–28. doi: 10.1080/03601234.2014.951574

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

39. Chourasiya S, Khillare PS, Jyethi DS. Health risk assessment of organochlorine pesticide exposure through dietary intake of vegetables grown in the periurban sites of Delhi, India. *Environ Sci Pollut Res Int* (2015) 22: 5793–806. doi: 10.1007/s11356-014-3791-x

[CrossRef Full Text](#) | [Google Scholar](#)

40. Reiler E, Jørs E, Bælum J, Huici O, Alvarez Caero MM, Cedergreen N. The influence of tomato processing on residues of organochlorine and organophosphate insecticides and their associated dietary risk. *Sci Total Environ* (2015) 527–528: 262–9. doi: 10.1016/j.scitotenv.2015.04.081

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

41. Nougadére A, Sirot V, Kadar A, Fastier A, Truchot E, Vergnet C, et al. Total diet study on pesticide residues in France: levels in food as consumed and chronic dietary risk to consumers. *Environ Int* (2012) 45: 135–50. doi: 10.1016/j.envint.2012.02.001

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

42. Blaznik U, Yngve A, Eržen I, Hlastan Ribič C. Consumption of fruits and vegetables and probabilistic assessment of the cumulative acute exposure to organophosphorus and carbamate pesticides of schoolchildren in Slovenia. *Public Health Nutr* (2015) 19(3): 557–63. doi: 10.1017/S1368980015001494

[CrossRef Full Text](#) | [Google Scholar](#)

43. Kortenkamp A. Ten years of mixing cocktails: a review of combination effects of endocrine-disrupting chemicals. *Environ Health Perspect* (2007) 115: 98–105. doi: 10.1289/ehp.9357

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

44. Damgaard IN, Skakkebaek NE, Toppari J, Virtanen HE, Shen H, Schramm KW, et al. Persistent pesticides in human breast milk and cryptorchidism. *Environ Health Perspect* (2006) 114: 1133–8. doi: 10.1289/ehp.8741

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

45. Buscail C, Chevrier C, Serrano T, Pelé F, Monfort C, Cordier S, et al. Prenatal pesticide exposure and otitis media during early childhood in the PELAGIE mother-child cohort. *Occup Environ Med* (2015) 72(12): 837–44. doi: 10.1136/oemed-2015-103039

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

46. Lu D, Wang D, Ni R, Lin Y, Feng C, Xu Q, et al. Organochlorine pesticides and their metabolites in human breast milk from Shanghai, China. *Environ Sci Pollut Res Int* (2015) 22: 9293–306. doi: 10.1007/s11356-015-4072-z

[CrossRef Full Text](#) | [Google Scholar](#)

47. Baylis AD. Why glyphosate is a global herbicide: strengths, weaknesses and prospects. *Pest Manag Sci* (2000) 56: 299–308. doi: 10.1002/(SICI)1526-4998(200004)56:4 <299: AID-PS144> 3.0. CO; 2-K

[CrossRef Full Text](#) | [Google Scholar](#)

48. Turusov V, Rakitsky V, Tomatis L. Dichlorodiphenyltrichloroethane (DDT): ubiquity, persistence, and risks. *Environ Health Perspect* (2002) 110: 125–8. doi: 10.1289/ehp.02110125

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

49. Van den Berg H. Global status of DDT and its alternatives for use in vector control to prevent disease. *Environ Health Perspect* (2009) 117: 1656–63. doi: 10.1289/ehp.0900785

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

50. Rodríguez-Alcalá LM, Sá C, Pimentel LL, Pestana D, Teixeira D, Faria A, et al. Endocrine disruptor DDE associated with a high-fat diet enhances the impairment of liver fatty acid composition in rats. *J Agric Food Chem* (2015) 63: 9341–8. doi: 10.1021/acs.jafc.5b03274

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

51. Eskenazi B, Marks AR, Bradman A, Fenster L, Johnson C, Barr DB, et al. In utero exposure to dichlorodiphenyltrichloroethane (DDT) and dichlorodiphenyldichloroethylene (DDE) and neurodevelopment among
<https://assignbuster.com/chemical-pesticides-and-human-health-the-urgent-need-for-a-new-concept-in-agriculture/>

young Mexican American children. *Pediatrics* (2006) 118: 233–41. doi: 10.1542/peds. 2005-3117

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

52. Lemaire G, Terouanne B, Mauvais P, Michel S, Rahman R. Effect of organochlorine pesticides on human androgen receptor activation *in vitro*. *Toxicol Appl Pharmacol* (2004) 196: 235–46. doi: 10.1016/j.taap.2003.12.011

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

53. Tiemann U. *In vivo* and *in vitro* effects of the organochlorine pesticides DDT, TCPM, methoxychlor, and lindane on the female reproductive tract of mammals: a review. *Reprod Toxicol* (2008) 25: 316–26. doi: 10.1016/j.reprotox.2008.03.002

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

54. Karami-Mohajeri S, Abdollahi M. Toxic influence of organophosphate, carbamate, and organochlorine pesticides on cellular metabolism of lipids, proteins, and carbohydrates: a systematic review. *Hum Exp Toxicol* (2011) 30(9): 1119–40. doi: 10.1177/0960327110388959

[CrossRef Full Text](#) | [Google Scholar](#)

55. Freire C, Koifman RJ, Koifman S. Hematological and hepatic alterations in brazilian population heavily exposed to organochlorine pesticides. *J Toxicol Environ Health A* (2015) 78: 534–48. doi: 10.1080/15287394.2014.999396

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

56. Calle EE, Frumkin H, Henley SJ, Savitz DA, Thun MJ. Organochlorines and breast cancer risk. *CA Cancer J Clin* (2002) 52: 301–9. doi: 10.3322/canjclin.52.5.301

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

57. Robinson T, Ali U, Mahmood A, Chaudhry MJ, Li J, Zhang G, et al. Concentrations and patterns of organochlorines (OCs) in various fish species from the Indus River, Pakistan: a human health risk assessment. *Sci Total Environ* (2015) 541: 1232–42. doi: 10.1016/j.scitotenv.2015.10.002

[CrossRef Full Text](#) | [Google Scholar](#)

58. Jaga K, Dharmani C. Sources of exposure to and public health implications of organophosphate pesticides. *Rev Panam Salud Publica* (2003) 14: 171–85. doi: 10.1590/S1020-49892003000800004

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

59. McKinlay R, Plant JA, Bell JNB, Voulvouli N. Endocrine disrupting pesticides: implications for risk assessment. *Environ Int* (2008) 34: 168–83. doi: 10.1016/j.envint.2007.07.013

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

60. Gasnier C, Dumont C, Benachour N, Clair E, Chagnon MC, Séralini GE. Glyphosate-based herbicides are toxic and endocrine disruptors in human cell lines. *Toxicology* (2009) 262: 184–91. doi: 10.1016/j.tox.2009.06.006
<https://assignbuster.com/chemical-pesticides-and-human-health-the-urgent-need-for-a-new-concept-in-agriculture/>

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

61. Li D, Huang Q, Lu M, Zhang L, Yang Z, Zong M, et al. The organophosphate insecticide chlorpyrifos confers its genotoxic effects by inducing DNA damage and cell apoptosis. *Chemosphere* (2015) 135: 387–93. doi: 10.1016/j.chemosphere.2015.05.024

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

62. Hung DZ, Yang HJ, Li YF, Lin CL, Chang SY, Sung FV, et al. The long-term effects of organophosphates poisoning as a risk factor of CVDs: a nationwide population-based cohort study. *PLoS One* (2015) 10: e0137632. doi: 10.1371/journal.pone.0137632

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

63. Jamal F, Haque QS, Singh S, Rastogi S. The influence of organophosphate and carbamate on sperm chromatin and reproductive hormones among pesticide sprayers. *Toxicol Ind Health* (2015): 1–10. doi: 10.1177/0748233714568175

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

64. Rosenstock L, Keifer M, Daniell WE, McConnell R, Claypoole K. Chronic central nervous system effects of acute organophosphate pesticide intoxication. *Lancet* (1991) 338: 223–7. doi: 10.1016/0140-6736(91)90356-T

[CrossRef Full Text](#) | [Google Scholar](#)

65. Wesseling C, Keifer M, Ahlbom A, McConnell R, Moon J-D, Rosenstock L, et al. Long-term neurobehavioral effects of mild poisonings with organophosphate and n-methyl carbamate pesticides among banana workers. *Int J Occup Environ Health* (2002) 8: 27–34. doi: 10.1179/oeh.2002.8.1.27

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

66. Eskenazi B, Harley K, Bradman A, Fenster L, Wolff M, Engel S, et al. In utero pesticide exposure and neurodevelopment in three NIEHS/environmental agency children's center birth cohorts. *Epidemiology* (2006) 17: S103. doi: 10.1097/00001648-200611001-00249

[CrossRef Full Text](#) | [Google Scholar](#)

67. Lin JN, Lin CL, Lin MC, Lai CH, Lin HH, Yang CH, et al. Increased risk of dementia in patients with acute organophosphate and carbamate poisoning: a nationwide population-based cohort study. *Medicine (Baltimore)* (2015) 94: e1187. doi: 10.1097/MD.0000000000001187

[CrossRef Full Text](#) | [Google Scholar](#)

68. Waddell BL, Zahm SH, Baris D, Weisenburger DD, Holmes F, Burmeister LF, et al. Agricultural use of organophosphate pesticides and the risk of non-Hodgkin's lymphoma among male farmers (United States). *Cancer Causes Control* (2001) 12: 509–17. doi: 10.1023/A:1011293208949

[CrossRef Full Text](#) | [Google Scholar](#)

69. Eskenazi B, Harley K, Bradman A, Weltzien E, Jewel NP, Barr DB, et al. Association of *in Utero* organophosphate pesticide exposure and fetal growth and length of gestation in an agricultural population. *Environ Health Perspect* (2004) 112: 1116–24. doi: 10.1289/ehp.6789

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

70. Rauh VA, Garcia WE, Whyatt RM, Horton MK, Barr DB, Louis ED. Prenatal exposure to the organophosphate pesticide chlorpyrifos and childhood tremor. *Neurotoxicology* (2015) 51: 80–6. doi: 10.1016/j.neuro.2015.09.004

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

71. Williams GM, Kroes R, Munro IC. Safety evaluation and risk assessment of the herbicide Roundup and its active ingredient, glyphosate, for humans. *Regul Toxicol Pharmacol* (2000) 31: 117–65. doi: 10.1006/rtph.1999.1371

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

72. Mink PJ, Mandel JS, Lundin JI, Sceurman BK. Epidemiologic studies of glyphosate and non-cancer health outcomes. *Regul Toxicol Pharmacol* (2011) 61: 172–84. doi: 10.1016/j.yrtph.2011.07.006

[CrossRef Full Text](#) | [Google Scholar](#)

73. Mink PJ, Mandel JS, Sceurman BK, Lundin JI. Epidemiologic studies of glyphosate and cancer: a review. *Regul Toxicol Pharmacol* (2012) 63: 440–52. doi: 10.1016/j.yrtph.2012.05.012

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

74. Cuhra M, Traavik T, Bøhn T. Clone- and age-dependent toxicity of a glyphosate commercial formulation and its active ingredient in *Daphnia magna*. *Ecotoxicology* (2013) 22: 251–62. doi: 10.1007/s10646-012-1021-1

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

75. Campbell AW. Glyphosate: its effects on humans. *Altern Ther Health Med* (2014) 20: 9–11.

[Google Scholar](#)

76. Samsel A, Seneff S. Glyphosate's suppression of cytochrome P450 enzymes and amino acid biosynthesis by the gut microbiome: pathways to modern diseases. *Entropy* (2013) 15: 1416–63. doi: 10.3390/e15041416

[CrossRef Full Text](#) | [Google Scholar](#)

77. Woodburn AT. Glyphosate: production, pricing and use worldwide. *Pest Manag Sci* (2000) 56: 309–12. doi: 10.1002/(SICI)1526-4998(200004)

[CrossRef Full Text](#) | [Google Scholar](#)

78. Bonny S. Genetically modified glyphosate-tolerant soybean in the USA: adoption factors, impacts and prospects. A review. *Agron Sustain Dev* (2008) 28: 21–32. doi: 10.1051/agro:2007044

[CrossRef Full Text](#) | [Google Scholar](#)

79. Duke SO, Powles SB. Glyphosate-resistant crops and weeds: now and in the future. *AgBioForum* (2009) 12: 346–57.

[Google Scholar](#)

80. Thongprakaisang S, Thiantanawat A, Rangkadilok N, Suriyo T, Satayavivad J. Glyphosate induces human breast cancer cells growth via estrogen receptors. *Food Chem Toxicol* (2013) 59: 129–36. doi: 10.1016/j.fct.2013.05.057

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

81. Fukutake M, Takahashi M, Ishida K, Kawamura H, Sugimura T, Wakabayashi K. Quantification of genistein and genistin in soybeans and soybean products. *Food Chem Toxicol* (1996) 34: 457–61. doi: 10.1016/0278-6915(96)87355-8

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

82. Swanson NL, Leu A, Abrahamson J, Wallet B. Genetically engineered crops, glyphosate and the deterioration of health in the United States of America. *J Org Syst* (2014) 9: 6–37.

[Google Scholar](#)

83. Kwiatkowska M, Huras B, Bukowska B. The effect of metabolites and impurities of glyphosate on human erythrocytes (*in vitro*). *Pestic Biochem Physiol* (2014) 109: 34–43. doi: 10.1016/j.pestbp.2014.01.003

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

<https://assignbuster.com/chemical-pesticides-and-human-health-the-urgent-need-for-a-new-concept-in-agriculture/>

84. George J, Prasad S, Mahmood Z, Shukla Y. Studies on glyphosate-induced carcinogenicity in mouse skin: a proteomic approach. *J Proteomics* (2010) 73: 951–64. doi: 10.1016/j.jprot.2009.12.008

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

85. Samsel A, Seneff S. Glyphosate, pathways to modern diseases III: manganese, neurological diseases, and associated pathologies. *Surg Neurol Int* (2015) 6: 45. doi: 10.4103/2152-7806.153876

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

86. Pieniążek D, Bukowska B, Duda W. Comparison of the effect of Roundup Ultra 360 SL pesticide and its active compound glyphosate on human erythrocytes. *Pestic Biochem Physiol* (2004) 79: 58–63. doi: 10.1016/j.pestbp.2004.03.003

[CrossRef Full Text](#) | [Google Scholar](#)

87. Kwiatkowska M, Paweł J, Bukowska B. Glyphosate and its formulations – toxicity, occupational and environmental exposure (Article in Polish). *Med Pr* (2013) 64: 717–29. doi: 10.13075/mp.5893.2013.0059

[CrossRef Full Text](#) | [Google Scholar](#)

88. Clair É, Mesnage R, Travert C, Séralini G-É. A glyphosate-based herbicide induces necrosis and apoptosis in mature rat testicular cells *in vitro*, and testosterone decrease at lower levels. *Toxicol In Vitro* (2012) 26: 269–79. doi: 10.1016/j.tiv.2011.12.009

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

89. Gehin A, Guyon C, Nicod L. Glyphosate-induced antioxidant imbalance in HaCaT: the protective effect of Vitamins C and E. *Environ Toxicol Pharmacol* (2006) 22: 27–34. doi: 10.1016/j.etap.2005.11.003

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

90. de Liz Oliveira Cavalli VL, Cattani D, Heinz Rieg CE, Pierozan P, Zanatta L, Benedetti Parisotto E, et al. Roundup disrupts male reproductive functions by triggering calcium-mediated cell death in rat testis and Sertoli cells. *Free Radic Biol Med* (2013) 65: 335–46. doi: 10.1016/j.freeradbiomed.2013.06.043

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

91. Hedberg D, Wallin M. Effects of Roundup and glyphosate formulations on intracellular transport, microtubules and actin filaments in *Xenopus laevis* melanophores. *Toxicol In Vitro* (2010) 24: 795–802. doi: 10.1016/j.tiv.2009.12.020

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

92. Samsel A, Seneff S. Glyphosate, pathways to modern diseases II: celiac sprue and gluten intolerance. *Interdiscip Toxicol* (2013) 6: 159–84. doi: 10.2478/intox-2013-0026

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

93. Goad ER, Goad JT, Atieh BH, Gupta RC. Carbofuran-induced endocrine disruption in adult male rats. *Toxicol Mech Methods* (2004) 14: 233–9. doi: 10.1080/15376520490434476

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

94. Soloneski S, Kujawski M, Scuto A, Laramendy ML. Carbamates: a study on genotoxic, cytotoxic, and apoptotic effects induced in Chinese hamster ovary (CHO-K1) cells. *Toxicol In Vitro* (2015) 29: 834–44. doi: 10.1016/j.tiv.2015.03.011

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

95. Li Q, Kobayashi M, Kawada T. Ziram induces apoptosis and necrosis in human immune cells. *Arch Toxicol* (2011) 85: 355–61. doi: 10.1007/s00204-010-0586-9

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

96. Li Q, Kobayashi M, Kawada T. Mechanism of ziram-induced apoptosis in human natural killer cells. *Int J Immunopathol Pharmacol* (2012) 25: 883–91. doi: 10.1177/039463201202500406

[CrossRef Full Text](#) | [Google Scholar](#)

97. Li Q, Kobayashi M, Kawada T. Carbamate pesticide-induced apoptosis and necrosis in human natural killer cells. *J Biol Regul Homeost Agents* (2014) 28: 23–32.

[PubMed Abstract](#) | [Google Scholar](#)

<https://assignbuster.com/chemical-pesticides-and-human-health-the-urgent-need-for-a-new-concept-in-agriculture/>

98. Li Q, Kobayashi M, Kawada T. Carbamate pesticide-induced apoptosis in human T lymphocytes. *Int J Environ Res Public Health* (2015) 12: 3633–45. doi: 10.3390/ijerph120403633

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

99. Denison MS, Phelan D, Winter GM, Ziccardi MH. Carbaryl, a carbamate insecticide, is a ligand for the hepatic ah (dioxin) receptor. *Toxicol Appl Pharmacol* (1998) 152: 406–14. doi: 10.1006/taap.1998.9999

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

100. Lifshitz M, Shahak E, Bolotin A, Sofer S. Carbamate poisoning in early childhood and in adults. *J Toxicol Clin Toxicol* (1997) 35: 25–7. doi: 10.3109/15563659709001161

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

101. Zheng T, Zahm SH, Cantor KP, Weisenburger DD, Zhang Y, Blair A. Agricultural exposure to carbamate pesticides and risk of non-hodgkin lymphoma. *J Occup Environ Med* (2001) 43: 641–9. doi: 10.1097/00043764-200107000-00012

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

102. Kniewald J, Jakominić M, Tomljenović A, Simić B, Romać P, Vranić D, et al. Disorders of male rat reproductive tract under the influence of atrazine. *J Appl Toxicol* (2000) 20: 61–8. doi: 10.1002/(SICI)1099-1263(200001/02)20:1 <61: AID-JAT628> 3.0. CO; 2-3

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

103. Jin Y, Wang L, Chen G, Lin X, Miao W, Fu Z. Exposure of mice to atrazine and its metabolite diaminochlorotriazine elicits oxidative stress and endocrine disruption. *Environ Toxicol Pharmacol* (2014) 37: 782–90. doi: 10.1016/j.etap.2014.02.014

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

104. Kettles MK, Browning SR, Prince TS, Horstman SW. Triazine herbicide exposure and breast cancer incidence: an ecologic study of Kentucky counties. *Environ Health Perspect* (1997) 105: 1222–7. doi: 10.1289/ehp.971051222

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

105. Liu XM, Shao JZ, Xiang LX, Chen XY. Cytotoxic effects and apoptosis induction of atrazine in a grass carp (*Ctenopharyngodon idellus*) cell line. *Environ Toxicol* (2006) 21: 80–9. doi: 10.1002/tox.20159

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

106. Huang P, Yang J, Song Q. Atrazine affects phosphoprotein and protein expression in MCF-10A human breast epithelial cells. *Int J Mol Sci* (2014) 15: 17806–26. doi: 10.3390/ijms151017806

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

107. Li YS, He X, Ma K, Wu YP, Li BX. The effect of exposure to atrazine on dopaminergic development in pubertal male SD rats. *Birth Defects Res B Dev Reprod Toxicol* (2015) 104: 184–9. doi: 10.1002/bdrb.21151

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

108. Ma K, Wu HY, Zhang B, He X, Li BX. Neurotoxicity effects of atrazine-induced SH-SY5Y human dopaminergic neuroblastoma cells via microglial activation. *Mol Biosyst* (2015) 11: 2915–24. doi: 10.1039/c5mb00432b

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

109. Song Y, Jia ZC, Chen JY, Hu JX, Zhang LS. Toxic effects of atrazine on reproductive system of male rats. *Biomed Environ Sci* (2014) 27: 281–8. doi: 10.3967/bes2014.050

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

110. Breckenridge CB, Sawhney Coder P, Tisdel MO, Simpkins JW, Yi KD, Foradori CD, et al. Effect of age, duration of exposure, and dose of atrazine on sexual maturation and the luteinizing hormone surge in the female Sprague-Dawley rat. *Birth Defects Res B Dev Reprod Toxicol* (2015) 104: 204–17. doi: 10.1002/bdrb.21154

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

111. Kolaczinski JH, Curtis CF. Chronic illness as a result of low-level exposure to synthetic pyrethroid insecticides: a review of the debate. *Food Chem Toxicol* (2004) 42: 697–706. doi: 10.1016/j.fct.2003.12.008

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

112. Ray DE, Fry JR. A reassessment of the neurotoxicity of pyrethroid insecticides. *Pharmacol Ther* (2006) 111: 174–93. doi: 10.1016/j.pharmthera.2005.10.003

[CrossRef Full Text](#) | [Google Scholar](#)

113. Garey J, Wolff MS. Estrogenic and antiprogestagenic activities of pyrethroid insecticides. *Biochem Biophys Res Commun* (1998) 251: 855–9. doi: 10.1006/bbrc.1998.9569

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

114. Jaansson A, Scott AP, Moore A, Kylin H, Håkan Olsén K. Effects of a pyrethroid pesticide on endocrine responses to female odours and reproductive behaviour in male parr of brown trout (*Salmo trutta* L.). *Aquat Toxicol* (2007) 81: 1–9. doi: 10.1016/j.aquatox.2006.10.011

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

115. Pandey SP, Mohanty B. The neonicotinoid pesticide imidacloprid and the dithiocarbamate fungicide mancozeb disrupt the pituitary-thyroid axis of a wildlife bird. *Chemosphere* (2014) 122: 227–34. doi: 10.1016/j.chemosphere.2014.11.061

[CrossRef Full Text](#) | [Google Scholar](#)

116. Moore A, Waring CP. The effects of a synthetic pyrethroid pesticide on some aspects of reproduction in Atlantic salmon (*Salmo salar* L.). *Aquat Toxicol* (2001) 52: 1-12. doi: 10.1016/S0166-445X(00)00133-8

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

117. Jurewicz J, Radwan M, Wielgomas B, Sobala W, Piskunowicz M, Radwan P, et al. The effect of environmental exposure to pyrethroids and DNA damage in human sperm. *Syst Biol Reprod Med* (2015) 61: 37–43. doi: 10.3109/19396368.2014.981886

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

118. Shafer TJ, Meyer DA, Crofton KM. Developmental neurotoxicity of pyrethroid insecticides: critical review and future research needs. *Environ Health Perspect* (2005) 113: 123-36. doi: 10.1289/ehp.7254

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

119. Syed F, John PJ, Soni I. Neurodevelopmental consequences of gestational and lactational exposure to pyrethroids in rats. *Environ Toxicol* (2015). doi: 10.1002/tox.22178

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

120. Goulson D. An overview of the environmental risks posed by neonicotinoid insecticides. *J Appl Ecol* (2013) 50: 977–87. doi: 10.1111/1365-2664.12111

[CrossRef Full Text](#) | [Google Scholar](#)

121. Jeschke P, Nauen R. Neonicotinoids – from zero to hero in insecticide chemistry. *Pest Manag Sci* (2008) 64: 1084–98. doi: 10.1002/ps. 1631

[CrossRef Full Text](#) | [Google Scholar](#)

122. Qi S, Wang C, Chen X, Qin Z, Li X, Wang C. Toxicity assessments with *Daphnia magna* of Guadipyr, a new neonicotinoid insecticide and studies of its effect on acetylcholinesterase (AChE), glutathione S-transferase (GST), catalase (CAT) and chitobiase activities. *Ecotoxicol Environ Saf* (2013) 98: 339–44. doi: 10.1016/j.ecoenv.2013.09.013

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

123. Put K, Bollens T, Wäckers F, Pekas A. Non-target effects of commonly used plant protection products in roses on the predatory mite *Euseius gallicus* Kreiter & Tixier (Acari: Phytoseidae). *Pest Manag Sci* (2016) 72(7): 1373–80. doi: 10.1002/ps. 4162

[CrossRef Full Text](#) | [Google Scholar](#)

124. Williams GR, Troxler A, Retschnig G, Roth K, Yañez O, Shutler D, et al. Neonicotinoid pesticides severely affect honey bee queens. *Sci Rep* (2015) 5: 14621. doi: 10.1038/srep14621

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

125. Wright GA, Softley S, Earnshaw H. Low doses of neonicotinoid pesticides in food rewards impair short-term olfactory memory in foraging-age honeybees. *Sci Rep* (2015) 5: 15322. doi: 10.1038/srep15322

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

126. Bal R, Naziroğlu M, Türk G, Yilmaz Ö, Kuloğlu T, Etem E, et al. Insecticide imidacloprid induces morphological and DNA damage through oxidative toxicity on the reproductive organs of developing male rats. *Cell Biochem Funct* (2012) 30: 492–9. doi: 10.1002/cbf. 2826

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

127. Hoshi N, Hirano T, Omotehara T, Tokumoto J, Umemura Y, Mantani Y. Insight into the mechanism of reproductive dysfunction caused by neonicotinoid pesticides. *Biol Pharm Bull* (2014) 37: 1439–43. doi: 10.1248/bpb. b14-00359

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

128. Caron-Beaudoin É, Denison MS, Sanderson JT. Effects of neonicotinoids on promoter-specific expression and activity of aromatase (CYP19) in human adrenocortical carcinoma (H295R) and primary umbilical vein endothelial (HUVEC) cells. *Toxicol Sci* (2016) 149(1): 134–44. doi: 10.1093/toxsci/kfv220

[CrossRef Full Text](#) | [Google Scholar](#)

129. Pierce FJ, Nowak P. Aspects of precision agriculture. *Adv Agron* (1999) 67: 1–85. doi: 10.1016/S0065-2113(08)60513-1

[CrossRef Full Text](#) | [Google Scholar](#)

130. Robert PC. Precision agriculture: a challenge for crop nutrition management. *Plant Soil* (2002) 247: 143–9. doi: 10.1023/A:1021171514148
<https://assignbuster.com/chemical-pesticides-and-human-health-the-urgent-need-for-a-new-concept-in-agriculture/>

[CrossRef Full Text](#) | [Google Scholar](#)

131. Zhang N, Wang M, Wang N. Precision agriculture – a worldwide overview. *Compu Electron Agr* (2002) 36: 113–32. doi: 10. 1016/S0168-1699(02)00096-0

[CrossRef Full Text](#) | [Google Scholar](#)

132. Bongiovanni R, Lowenberg-DeBoer J. Precision agriculture and sustainability. *Precision Agric* (2004) 5: 359–87. doi: 10. 1023/B: PRAG. 0000040806. 39604. aa

[CrossRef Full Text](#) | [Google Scholar](#)

133. McBratney A, Whelan B, Ancev T, Bouma J. Future direction of precision agriculture. *Precision Agric* (2005) 6: 7–23. doi: 10. 1007/s11119-005-0681-8

[CrossRef Full Text](#) | [Google Scholar](#)

134. Watcharaanantapong P, Roberts RK, Lambert DM, Larson JA, Velandia M, English BC, et al. Timing of precision agriculture technology adoption in US cotton production. *Precision Agric* (2014) 15: 427–46. doi: 10. 1007/s11119-013-9338-1

[CrossRef Full Text](#) | [Google Scholar](#)

135. Zhang C, Kovacs JM. The application of small unmanned aerial systems for precision agriculture: a review. *Precision Agric* (2012) 13: 693–712. doi: 10. 1007/s11119-012-9274-5

[CrossRef Full Text](#) | [Google Scholar](#)

136. Hertoge K. *Mals/Malles Venosta Referendum*. (2014). Available from: <http://www.marcozullo.it/wp-content/uploads/Malles-Venosta-Referendum.pdf>

[Google Scholar](#)

137. Menezes F. Food sovereignty: a vital requirement for food security in the context of globalization. *Development* (2001) 44: 29–33. doi: 10.1057/palgrave.development.1110288

[CrossRef Full Text](#) | [Google Scholar](#)

138. Windfuhr M, Jonsén J. *Food Sovereignty. Towards Democracy in Localized Food Systems*. Chippenham, GB: ITDG Publishing (2005).

[Google Scholar](#)

139. *Declaration of Nyéléni*. (2007). Available from: <http://nyeleni.org/spip.php?article290>

[Google Scholar](#)

140. Patel R. Food sovereignty. *J Peasant Stud* (2009) 36: 663–706. doi: 10.1080/03066150903143079

[CrossRef Full Text](#) | [Google Scholar](#)

141. Wittman H. Food sovereignty: a new rights framework for food and nature? *Environ Soc Adv Res* (2011) 2: 87–105. doi: 10. 3167/ares. 2011. 020106

[CrossRef Full Text](#) | [Google Scholar](#)

142. Pimbert M. *Towards Food Sovereignty: Reclaiming Autonomous Food Systems*. London, Munich: CAFS, IIED, RCC (2009). Available from: <http://pubs.iied.org/pdfs/G02268.pdf>

[Google Scholar](#)

143. Altieri MA. Agroecology, small farms, and food sovereignty. *Mon Rev* (2009) 61: 102–13. doi: 10. 14452/MR-061-03-2009-07_8

[CrossRef Full Text](#) | [Google Scholar](#)

144. Holt-Giménez E. From food crisis to food sovereignty. The challenge of social movements. *Mon Rev* (2009) 61: 142–56. doi: 10. 14452/MR-061-03-2009-07_11

[CrossRef Full Text](#) | [Google Scholar](#)

145. Rosset P. Food sovereignty and the contemporary food crisis. *Development* (2008) 51: 460–3. doi: 10. 1057/dev. 2008. 48

[CrossRef Full Text](#) | [Google Scholar](#)

146. Panagiotakopulu E, Buckland PC, Day PM, Sarpaki AA, Doumas C. Natural insecticides and insect repellents in antiquity: a review of the

<https://assignbuster.com/chemical-pesticides-and-human-health-the-urgent-need-for-a-new-concept-in-agriculture/>

evidence. *J Archaeol Sci* (1995) 22: 705–10. doi: 10.1016/S0305-4403(95)80156-1

[CrossRef Full Text](#) | [Google Scholar](#)

147. Fry DM. Reproductive effects in birds exposed to pesticides and industrial chemicals. *Environ Health Perspect* (1995) 103: 165–71. doi: 10.2307/3432528

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

148. Shukla G, Kumar A, Bhanti M, Joseph PE, Taneja A. Organochlorine pesticide contamination of ground water in the city of Hyderabad. *Environ Int* (2006) 32: 244–7. doi: 10.1016/j.envint.2005.08.027

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

149. Hemingway J, Ranson H. Insecticide resistance in insect vectors of human disease. *Annu Rev Entomol* (2000) 45: 371–91. doi: 10.1146/annurev.ento.45.1.371

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

150. Olesen JE, Bindi M. Consequences of climate change for European agricultural productivity, land use and policy. *Eur J Agron* (2002) 16: 239–62. doi: 10.1016/S1161-0301(02)00004-7

[CrossRef Full Text](#) | [Google Scholar](#)

151. Taiz L. Agriculture, plant physiology, and human population growth: past, present, and future. *Theor Exp Plant Physiol* (2013) 25: 167–81. doi: 10.1590/S2197-00252013000300001

[CrossRef Full Text](#) | [Google Scholar](#)

152. Steenwerth KL, Hodson AK, Bloom AJ, Carter MR, Cattaneo A, Chartres CJ, et al. Climate-smart agriculture global research agenda: scientific basis for action. *Agr Food Secur* (2014) 3: 11. doi: 10.1186/2048-7010-3-11

[CrossRef Full Text](#) | [Google Scholar](#)

153. Tissier J, Grosclaude JY. What about climate-smart agriculture? In: Torquebiau E, editor. *Climate Change and Agriculture Worldwide*. Dordrecht, Heidelberg, New York, London: Springer Science + Business Media Dordrecht (2016). p. 313–24.

[Google Scholar](#)

154. McIntyre BD, Herren HR, Wakhungu J, Watson RT, editors. *Agriculture at a Crossroads. IAASTD Global Report*. Washington, Covelo, London: Island Press, IAASTD (2009). Available from: [http://www.unep.org/dewa/agassessment/reports/IAASTD/EN/Agriculture%20at%20a%20Crossroads_Global%20Report%20\(English\).pdf](http://www.unep.org/dewa/agassessment/reports/IAASTD/EN/Agriculture%20at%20a%20Crossroads_Global%20Report%20(English).pdf)

[Google Scholar](#)

155. UNCTAD, UNEP. *Organic Agriculture and Food Security in Africa*. New York, Geneva: United Nations (2008). Available from: http://unctad.org/en/docs/ditcted200715_en.pdf

[Google Scholar](#)

156. Dona A, Arvanitoyannis IS. Health risks of genetically modified foods. *Crit Rev Food Sci Nutr* (2009) 49: 164–75. doi: 10.1080/10408390701855993

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

157. McHughen A. GM crops and foods. What do consumers want to know? *GM Crops Food* (2013) 4: 172–82. doi: 10.4161/gmcr.26532

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

158. Benbrook C. Do GM crops mean less pesticide use? *Pestic Outlook* (2001) 12: 204–7. doi: 10.1039/b108609j

[CrossRef Full Text](#) | [Google Scholar](#)

159. Huang G, Hu R, Pray C, Qiao F, Rozelle S. Biotechnology as an alternative to chemical pesticides: a case study of Bt cotton in China. *Agr Econ* (2003) 29: 55–67. doi: 10.1016/S0169-5150(03)00044-6

[CrossRef Full Text](#) | [Google Scholar](#)

160. Benbrook CM. Impacts of genetically engineered crops on pesticide use in the U. S. – the first sixteen years. *Environ Sci Eur* (2012) 24: 24. doi: 10.1186/2190-4715-24-24

[CrossRef Full Text](#) | [Google Scholar](#)

161. Sexton K. Cumulative risk assessment: an overview of methodological approaches for evaluating combined health effects from exposure to multiple environmental stressors. *Int J Environ Res Public Health* (2012) 9: 370–90. doi: 10.3390/ijerph9020370

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

162. Colosio C, Alegakis AK, Tsatsakis AM. Emerging health issues from chronic pesticide exposure: innovative methodologies and effects on molecular cell and tissue level. *Toxicology* (2013) 307: 1–2. doi: 10.1016/j.tox.2013.04.006

[CrossRef Full Text](#) | [Google Scholar](#)

163. Hernández AF, Parrón T, Tsatsakis AM, Requena M, Alarcón R, López-Guarnido O. Toxic effects of pesticide mixtures at a molecular level: their relevance to human health. *Toxicology* (2013) 307: 136–45. doi: 10.1016/j.tox.2012.06.009

[PubMed Abstract](#) | [CrossRef Full Text](#) | [Google Scholar](#)

164. Pimentel D, Burgess M. Environmental and economic benefits of reducing pesticide use. In: Pimentel D, Peshin R, editors. *Integrated Pest*

Management. New York, Heidelberg, Dordrecht, London: Springer Science + Business Media Dordrecht (2014). p. 127–39.

[Google Scholar](#)

165. European Commission. *The Common Agricultural Policy: A partnership between Europe and Farmers*. Luxembourg: Publications Office of the European Union (2012). Available from: http://ec.europa.eu/agriculture/cap-overview/2012_en.pdf

[Google Scholar](#)