

Grand challenges in cellular biochemistry: the "next-gen" biochemistry

[Health & Medicine](#)



It is said that Biochemistry is a young scientific discipline, making its “formal” debut toward the end of the 1900th century ([Manchester, 2000](#)), with seminal works by [Buchner \(1897\)](#), [Jaenicke, 2007](#)), ([Pasteur and Berthelot, 1906](#)), [Hill \(1898\)](#), [Embden and Glaessner \(1901\)](#), [Meyerhof \(1911\)](#), [Parnas \(1911\)](#), [Harden \(1911\)](#), and, of course, Michaelis and Menten ([Johnson, 2013](#); [Michaelis and Menten, 2013](#); [Deichmann et al., 2014](#)). These early and important contributions marked the road for future work in the fields of (a) chemical and biochemical structures and associated functions by [Sanger \(1945\)](#), [Perutz \(1942\)](#), [Franklin \(1950\)](#), [Watson and Crick \(1953\)](#), [Pauling et al. \(1949, 1951\)](#), [Pauling and Corey \(1951\)](#), [Zuckerkandl and Pauling \(1962\)](#), [Kornberg \(1974, 1977\)](#), [Boyer \(1997\)](#), [Walker et al. \(1982\)](#), [Abrahams et al. \(1994\)](#); (b) metabolic pathways and regulation by [Ochoa and Valdecasas \(1929\)](#), [Krebs and Johnson \(1937\)](#), [Novelli and Lipmann \(1947\)](#), [Fischer et al. \(1959\)](#), [Cori and Cori \(1923, 1925\)](#), [Houssay \(1945, 1948\)](#), [Lehninger \(1942, 1945\)](#), [Caputto et al. \(1949\)](#), [Cardini et al. \(1950\)](#), [Mitchell \(1961\)](#)), [Benson and Calvin \(1947\)](#), [Hershko et al. \(1980\)](#), [Hershko and Ciechanover \(1992\)](#), and (c) contributing to innovative techniques or approaches dedicated to advance basic knowledge (and making our lives easier) with [Smith \(1982\)](#), [Winter et al. \(1982\)](#), [Mullis et al. \(1986\)](#) (ante and post-PCR era) and [Shimomura \(1979\)](#), [Chalfie et al. \(1994\)](#), [Heim et al. \(1994\)](#) (ante and post-green fluorescent protein), [Yalow et al. \(1964\)](#), and [Williams et al. \(1977\)](#), [Springer et al. \(1979\)](#); (d) signaling molecules and signal transduction by [Levi-Montalcini and Amprino \(1947\)](#), [Cohen et al. \(1954\)](#), [Sibley et al. \(1986\)](#), [Benovic et al. \(1987\)](#), [Frielle et al. \(1987\)](#), [Fargin et al. \(1988\)](#).

Back in 1896, Buchner's preparation of a “ juice” from yeast ([Buchner, 1897](#)) is often regarded as the birth of modern biochemistry. However, I tend to digress with this strict view of biochemistry, reasoning that we (as a species) were taking advantage of biochemical principles without having a deep understanding of the underlying molecular processes. For instance, consider Buchner's “ juice” or actually wine making. This method, that has at its core the fermentation process one of the key pathways in biochemistry, dating back to around 6000 BC ([Chambers and Pretorius, 2010](#)). Refer to the complicated production of fish sauces considered among the most common flavor-enhancing condiments produced and distributed across ancient Roman Empire ([Lowe, 2009](#)). Another example comes from the mixture of organic preservatives (i. e., biochemical) used for ancient Egyptian mummification ([Buckley and Evershed, 2001](#)). Or think about the effects of diet on health as recognized by Hippocrates (460–377 BC; [Caramia, 2006](#)), the arab physician Ibn al-Nafis ([Al-Nafis, 13th century](#)) and Leonardo da Vinci (1452–1519; [Caramia, 2006](#)) as well as the experimentation with animals and structure—function of human body set by the Medieval Islamic era as early as the 9th century ([Abdel-Halim, 2011](#)). This early biochemistry was empirical, done in settings other than laboratories, serving immediate needs, and some passed onto next generations by oral traditions. Then we would reason, are these contributions valuable to the genesis of biochemistry? Should they be dismissed because the microorganisms were not genotyped, the reactions were done in dolia instead of microplates? Then, if we accept these very early facts (and why not experiments?) as part of the genesis of this field, we will need to accept that biochemistry is a long,

long (ancient?) journey that has accompanied us since the dawn of civilization.

The general field of Biochemistry has grown since then to the point that it has been expanded to various more specific areas of research. For example, Cellular Biochemistry is at the crossroads of Chemistry (Organic, Physical, Analytical, Inorganic, Biological) and Biology (Chemical, Molecular) including studies on biomolecular structures and the mechanism of biochemical reactions, but also on the biological purposes of biochemical phenomena, i.e., metabolic pathways and their control, physiological significance and clinical relevance of topics presented. The regulation includes protein and gene expression analyses as well as protein post-translational modifications, epigenetic controls, metabolite-control systems, and gene-environment interactions as well as cell-cell interactions. This field covers areas from fundamental biochemical principles (e.g., enzymology, macromolecule structures) in cell-free systems to pathways, their regulation, and integration in physiology, and how their disturbance could lead to a number of diseases.

While tremendous progress has been achieved, here are some of the aspects that we think needs additional attention in the next upcoming years.

On Proteins: Hiding Behind A Post-Translational Modification

How many new post-translational modifications have been found after the relevant discoveries on protein phosphorylation and their impact on signal transduction pathways ([Fischer, 2013](#))? Among them, ubiquitination ([Schmidt and Finley, 2014](#); [Schreiber and Peter, 2014](#)), methylation ([Afjehi-](#)

[Sadat and Garcia, 2013](#) ; [Clarke, 2013](#)), sumoylation ([Yang and Chiang, 2013](#)), acylation ([Storck et al., 2013](#) ; [Running, 2014](#)), glycation ([Nedic et al., 2013](#) ; [Sousa Silva et al., 2013](#)), nitrosylation ([Gould et al., 2013](#) ; [Michelet et al., 2013](#)), glutathionylation ([Allen and Mieyal, 2012](#) ; [Zaffagnini et al., 2012](#)), tyrosine *O*-sulfation ([Kim et al., 2005](#)), dityrosine crosslinks ([Giulivi et al., 2003](#)), ADP-ribosylation ([Dani et al., 2013](#)), and lysine acetylation ([Bernal et al., 2014](#) ; [Cain et al., 2014](#) ; [Dos Santos-Pinto et al., 2014](#) ; [Wang et al., 2014](#)). It is clear that in some of these examples the modifications accompanied a biochemical or metabolic process (e. g., fasting [Yang et al., 2011](#)). But, so far limited cases have demonstrated that a single protein modification on a given target modulated a protein activity, and as a result, a pathway (e. g., [Nie et al., 2009](#)), modified the protein subcellular location (e. g., [Moeller and Fenton, 2012](#)), or the fate (e. g., [Spasser and Brik, 2012](#)). Then, how many of these modifications normally found in a cell are truly relevant to a specific biological process ([Catherman et al., 2014](#) ; [Dos Santos-Pinto et al., 2014](#) ; [Vaudel et al., 2014](#))? Are they silent bystanders, surrogate markers ([Pimentel et al., 2012](#) ; [Perluigi et al., 2014](#))? Is there a hierarchical order or a cross-talk among several protein modifications within a single protein? What are the purposes of these modifications ([Moore and Gozani, 2014](#))? What if the modified protein is not a rate-limiting step of a given pathway and/or has a high turnover? In what cellular compartments or organs are these modifications found? To gain a better understanding of protein modifications, which enhance and extend the diversity of proteins beyond that encoded by DNA and the transcriptome, we

need to clarify these questions to truly understand the meaning of regulation of pathways in biochemistry and their relevance in disease.

On RNA and its Landscape: The More the Merrier

In the midst of enzyme isoforms, metabolite controls, post-translational modifications, compartmentalization, gene transcription, protein-protein interactions, microRNAs (miRNAs), or small non-coding RNAs have emerged as new post-transcriptional regulators of gene expression ([Feng et al., 2014](#)). To date, a myriad of diverse cellular events [cognition, synapsis, cell fate, plasticity, cancer ([Asrih and Steffens, 2013](#); [Clifford et al., 2013](#); [Di Leva and Croce, 2013](#); [O'Carroll and Schaefer, 2013](#); [Feng et al., 2014](#))] have been claimed to be regulated by miRNA. As indicated above for novel protein post-translational modifications, we are just starting to unveil the cause-effect for a limited number of miRNAs. Thus, more research is needed to address the links between miRNA expression and miRNA-targeted genes, the association between miRNAs and messenger RNAs, how this new regulation works in association (or not) with others already present in the cell, and what role miRNAs might have played in phenotypic evolution ([Akbari Moqadam et al., 2013](#); [Luo et al., 2013](#); [Marco et al., 2013](#)). To complicate the story further, next generation sequencing technologies targeting the miRNA transcriptome revealed the occurrence of RNA fragments different from miRNAs. A growing evidence suggests that RNA fragments derived from small nucleolar RNA (snoRNA) and transfer RNA (tRNA) are neither RNA turnover artifacts nor random degradation products but rather stable species, which may have functional activity in the normal as well as in cancer cells ([Falaleeva and Stamm, 2013](#); [Lui and Lowe, 2013](#); [Martens-](#)

[Uzunova et al., 2013](#)). But the story does not end here. Long non-coding RNAs (lncRNA) have been described to act as decoys of RNA-binding proteins or microRNAs and can compete for microRNA-mediated inhibition leading to increased expression of the mRNA ([Louro et al., 2009](#); [Whitehead et al., 2009](#); [Yoon et al., 2013](#); [Diederichs, 2014](#); [Fatica and Bozzoni, 2014](#); [Johnsson et al., 2014](#); [Nakagawa and Kageyama, 2014](#)). Future studies would need to decipher how these different messages (including circular RNA) are read by the cell, their role in regulating pathways or cellular processes, and their link to other regulatory systems ([Tay et al., 2014](#)).

On Inter-Cellular Communication: Cell-Derived Membrane Vesicles as the New Molecular Mercury

The relatively recent discoveries on the occurrence of cell-derived membrane vesicles (CVMs) add another layer of complexity to the field of cell-cell communication. CMVs have a biological cargo constituted by proteins, RNA or DNA, with the potential to change the phenotype of the receiving cell ([Quesenberry and Aliotta, 2010](#); [Rak, 2010](#); [Lee et al., 2011](#); [Sadallah et al., 2011](#)). These vesicles are classified into exosomes, ectosomes, microvesicles, microparticles, apoptotic bodies, and are originated from different subcellular compartments. The molecular mechanisms regulating their formation, release and degradation are not fully understood; however, several studies highlight their role in tumor growth, microRNA delivery, atherosclerosis, pre-eclampsia, as well as their potential use as drug delivery ([Aatonen et al., 2012](#); [Biancone et al., 2012](#); [Lee et al., 2012](#); [Redman et al., 2012](#); [Soleti and Martinez, 2012](#); [van Dommelen et al., 2012](#); [Vickers and Remaley, 2012](#); [Camussi et al., 2013](#); [Choi et al., 2013](#)).

[2013](#) ; [Gonda et al., 2013](#) ; [Inal et al., 2013](#) ; [Martins et al., 2013](#) ; [Principe et al., 2013](#) ; [Loyer et al., 2014](#)).

On Interdisciplinary Approaches: Are we Listening—More Than Talking—To Each Other?

Theories have a transient nature; they last only until replaced by ones more consistent with the accumulated facts. To acquire “ new information,” a great variety of methods must be used and their optimization or discovery of new methods will be an important area of research in the coming years.

Studying isolated organelles, intact cells, tissues or organs may be seen as unphysiological and thus, requiring a considerable extrapolation of these results to animals including humans. Although these interpretations must always be made with caution, studies in intact organisms have the advantage of observing processes as a whole with the clear disadvantage that few of these processes occurring within it are accessible to study. In other words, while a considerable fractionation of the scientific problem may lead to the identification of key components, the way in which they interact may not be as in the intact organism. In this regard, data obtained *in vitro* and/or with simpler models have been used in dynamic mathematical modeling to promote a comprehensive understanding of *in vivo* complex mechanisms ([Tummler et al., 2014](#)). In addition to the advance of more accurate mathematical models, effort needs to be devoted at the development of *in vivo*, non-invasive techniques and methods to bridge the gaps between *in vitro* and *in vivo* systems ([Zheng et al., 2011](#) ; [Nandakumar et al., 2012](#) ; [Ramkumar et al., 2013](#)). The use of novel, non-invasive imaging techniques to follow, for instance, parasitemia ([Maclean et al., 2013](#)

) or muscle oxygenation ([Hamaoka et al., 2011](#)) as well as fine-regulated molecular approaches such as optogenetics ([Doll and Broadie, 2014](#) ; [Sidor and McClung, 2014](#)) or even more sensitive mass spectrometry technologies will be leading the future of Cellular Biochemistry. It also means to develop models that accurately mimic complex chemical systems as pioneered by [Karplus \(1959 , 1963 \)](#), [Warshel and Levitt \(1976\)](#) , [Chothia et al. \(1989\)](#) and [Levitt and Warshel \(1975\)](#) . Evidently, interdisciplinary approaches (which means interacting with colleagues in other fields) are needed to develop more sensitive and specific probes (chemistry), instrumentation (analytical instrumentation, computer engineering, bioinformatics), validation of targets (biochemistry) and delivery (nanomaterials, pharmacology, medicinal chemistry) to be applicable to medicine.

The interdisciplinary approach has a strong influence on the transition into “personalized medicine” which essentially requires the integration of various molecular approaches (proteomics, metabolomics, genome sequencing, imaging, to name a few) with the idea of providing the most effective therapy, minimizing side effects, and shortening treatment periods ([Nandy et al., 2014](#) ; [Stenson et al., 2014](#)). One of the next challenges will be to integrate these interdisciplinary approaches in the clinics and making them affordable to all patients ([Johnson et al., 2012](#)).

On the Organism of Choice: Welcome to the Battleground

Studies on simpler organisms such as worms, flies, yeast could be seen as somehow irrelevant to those in higher organisms, particularly with the wide use of murine models ([Russell, 2013](#)). However, if the question or problem

resides within a highly conserved pathway across these species, the use of “relatively” simpler systems gives a unique opportunity to address a complex problem ([Bednarova et al., 2013](#) ; [Dassati et al., 2014](#)). Studying these conserved or homologous processes across species and their modifications in front of environmental exposures will also integrate the field of gene-environment interactions ([Napoli et al., 2013](#)) and their impact on human disorders such as autism and obesity ([Razquin et al., 2011](#) ; [Schmidt et al., 2012](#) ; [Galbete et al., 2013](#) ; [Napoli et al., 2013](#) ; [Lyall et al., 2014](#)) as well as the evolutionary pressure to best suit the need (for example, [Gnankine et al., 2013](#)). In this context, an area that needs to be addressed is how we are re-defining our choices when selecting a biological study model to answer a particular question. For instance, the relevance of selecting a murine genetic background (even if inbred) that will not interfere with the issue of interest (e. g., [Bourdi et al., 2011](#) ; [Ulmasov et al., 2013](#)), and still be reasonable breeders with relatively good health. Looking beyond the traditional murine models to uncover human-like diseases opens the door to collaborations between veterinarians and basic researchers (for example, [Vernau et al., 2013](#)) and explore new therapies ([Patel et al., 2011](#) ; [Nielsen et al., 2014](#)), including the use of stem cells ([Volk and Theoret, 2013](#)) and “personalized medicine” ([Palotie et al., 2013](#)). Across-species studies fall under the umbrella named “One Health” initiative, which since 1984 combines human, animal, and environmental components to addressing global health challenges ([Bidaisee and Macpherson, 2014](#)). To this end, we will need to look up from our laboratory bench and try to understand the basis of

diseases within ecosystems, reaching out to global health ([Gutierrez et al., 2012](#); [Conrad et al., 2013](#); [Miller and Olea-Popelka, 2013](#)).

Concluding Remarks

Progress in science is made either from discovering new facts or from re-interpreting well-established ones. In line with this concept, we should provide a balanced account of controversial areas and consider that the presentation of different views is important to reinforce the point that theories or hypotheses must always be open to reinterpretation with the advancement of knowledge [e. g., the use of vitamin D on osteoporosis ([Reid et al., 2014](#))]. Indications of doubt raised by published studies provide impetus for further research by students, researchers, and clinicians. As processes evolve once they exist, it is our goal to shape the vision of Cellular Biochemistry adapting and evolving to the fast pace of scientific discoveries, trying to make this area the most suitable bridge between molecular biochemistry and medicine, placing it at the heart of translational medicine.

Conflict of Interest Statement

The author declares that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Acknowledgments

These advances, and those yet to come, are owed to our colleagues mentioned here and many, many others that have contributed to this field. We appreciate deeply their personal sacrifices and immense commitment to the advancement of science. To continue to move forward, as Dr. Kornberg

<https://assignbuster.com/grand-challenges-in-cellular-biochemistry-the-next-gen-biochemistry/>

indicated in his “ Ten Commandments of Enzymology, amended” ([Kornberg, 2003](#)), we need to raise awareness and acknowledge the support of the National Institutes of Health, National Science Foundation as well as that of many wonderful Foundations that have provided the means to achieve these advancements and, hopefully, continue to accompany us on this exciting ride. This work has been partly supported by the National Institutes for Health (R01ES020392 and R01HD036071), NIEHS R01-ES011269, R01-ES015359 and R01-ES020392, and Simons Foundation (SFARI 271406).

References

Aatonen, M., Gronholm, M., and Siljander, P. R. (2012). Platelet-derived microvesicles: multitalented participants in intercellular communication. *Semin. Thromb. Hemost.* . 38, 102–113. doi: 10. 1055/s-0031-1300956

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Abdel-Halim, R. E. (2011). Experimental medicine 1000 years ago. *Urol. Ann.* . 3, 55–61. doi: 10. 4103/0974-7796. 82168

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Abrahams, J. P., Leslie, A. G., Lutter, R., and Walker, J. E. (1994). Structure at 2. 8 A resolution of F1-ATPase from bovine heart mitochondria. *Nature* 370, 621–628. doi: 10. 1038/370621a0

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Afjehi-Sadat, L., and Garcia, B. A. (2013). Comprehending dynamic protein methylation with mass spectrometry. *Curr. Opin. Chem. Biol.* 17, 12–19. doi: 10.1016/j.cbpa.2012.12.023

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Akbari Moqadam, F., Pieters, R., and Den Boer, M. L. (2013). The hunting of targets: challenge in miRNA research. *Leukemia* 27, 16–23. doi: 10.1038/leu.2012.179

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Allen, E. M., and Mieyal, J. J. (2012). Protein-thiol oxidation and cell death: regulatory role of glutaredoxins. *Antioxid. Redox Signal.* 17, 1748–1763. doi: 10.1089/ars.2012.4644

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Al-Nafis, I. (13th century). Kitab al-Mukhtar min-al-Agthi'ya.

Asrih, M., and Steffens, S. (2013). Emerging role of epigenetics and miRNA in diabetic cardiomyopathy. *Cardiovasc. Pathol.* 22, 117–125. doi: 10.1016/j.carpath.2012.07.004

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Bednarova, A., Kodrik, D., and Krishnan, N. (2013). Unique roles of glucagon and glucagon-like peptides: parallels in understanding the functions of adipokinetic hormones in stress responses in insects. *Comp. Biochem.*

Physiol. Part A Mol. Integr. Physiol. 164, 91–100. doi: 10.1016/j.cbpa.2012.10.012

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Benovic, J. L., Kuehn, H., Weyand, I., Codina, J., Caron, M. G., and Lefkowitz, R. J. (1987). Functional desensitization of the isolated β -adrenergic receptor by the β -adrenergic receptor kinase: potential role of an analog of the retinal protein arrestin (48-kDa protein). *Proc. Natl. Acad. Sci. U. S. A.* 84, 8879–8882. doi: 10.1073/pnas.84.24.8879

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Benson, A., and Calvin, M. (1947). Dark reductions of photosynthesis. *Science* 105, 648–649. doi: 10.1126/science.105.2738.648

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Bernal, V., Castano-Cerezo, S., Gallego-Jara, J., Ecija-Conesa, A., de Diego, T., Iborra, J. L., et al. (2014). Regulation of bacterial physiology by lysine acetylation of proteins. *N. Biotechnol.* doi: 10.1016/j.nbt.2014.03.002. [Epub ahead of print].

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Biancone, L., Bruno, S., Deregibus, M. C., Tetta, C., and Camussi, G. (2012). Therapeutic potential of mesenchymal stem cell-derived microvesicles. *Nephrol. Dial. Transplant.* 27, 3037–3042. doi: 10.1093/ndt/gfs168

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Bidaisee, S., and Macpherson, C. N. (2014). Zoonoses and one health: a review of the literature. *J. Parasitol. Res.* 2014: 874345. doi: 10.1155/2014/874345

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Bourdi, M., Davies, J. S., and Pohl, L. R. (2011). Mispairing C57BL/6 substrains of genetically engineered mice and wild-type controls can lead to confounding results as it did in studies of JNK2 in acetaminophen and concanavalin a liver injury. *Chem. Res. Toxicol.* 24, 794–796. doi: 10.1021/tx200143x

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Boyer, P. D. (1997). The ATP synthase - a splendid molecular machine. *Annu. Rev. Biochem.* 66, 717–749. doi: 10.1146/annurev.biochem.66.1.717

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Buchner, E. (1897). Alkoholische gährung ohne hefezellen. *Ber. Dt. Chem. Ges.* 30, 117–124. doi: 10.1002/cber.18970300121

[CrossRef Full Text](#)

Buckley, S. A., and Evershed, R. P. (2001). Organic chemistry of embalming agents in Pharaonic and Graeco-Roman mummies. *Nature* 413, 837–841. doi: 10.1038/35101588

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Cain, J. A., Solis, N., and Cordwell, S. J. (2014). Beyond gene expression: the impact of protein post-translational modifications in bacteria. *J. Proteomics* 97, 265–286. doi: 10.1016/j.jprot.2013.08.012

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Camussi, G., Deregibus, M. C., and Tetta, C. (2013). Tumor-derived microvesicles and the cancer microenvironment. *Curr. Mol. Med.* 13, 58–67. doi: 10.2174/156652413804486304

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Caputto, R., Leloir, L. F., Trucco, R. E., Cardini, C. E., and Paladini, A. C. (1949). Enzymic transformation of galactose into glucose derivatives. *J. Biol. Chem.* 179, 497–498.

[Pubmed Abstract](#) | [Pubmed Full Text](#)

Caramia, G. (2006). [Virgin olive oil. From legend to scientific knowledge of the nutraceutical aspects]. *Pediatr. Med. Chir.* 28, 9–23.

[Pubmed Abstract](#) | [Pubmed Full Text](#)

Cardini, C. E., Paladini, A. C., Caputto, R., and Leloir, L. F. (1950). Uridine diphosphate glucose: the coenzyme of the galactose-glucose phosphate isomerization. *Nature* 165, 191–192. doi: 10.1038/165191a0

[CrossRef Full Text](#)

Catherman, A. D., Skinner, O. S., and Kelleher, N. L. (2014). Top down proteomics: facts and perspectives. *Biochem. Biophys. Res. Commun.* 445, 683–693. doi: 10.1016/j.bbrc.2014.02.041

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Chalfie, M., Tu, Y., Euskirchen, G., Ward, W. W., and Prasher, D. C. (1994). Green fluorescent protein as a marker for gene expression. *Science* 263, 802–805. doi: 10.1126/science.8303295

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Chambers, P. J., and Pretorius, I. S. (2010). Fermenting knowledge: the history of winemaking, science and yeast research. *EMBO Rep.* 11, 914–920. doi: 10.1038/embor.2010.179

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Choi, D. S., Kim, D. K., Kim, Y. K., and Gho, Y. S. (2013). Proteomics, transcriptomics and lipidomics of exosomes and ectosomes. *Proteomics* 13, 1554–1571. doi: 10.1002/pmic.201200329

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Chothia, C., Lesk, A. M., Tramontano, A., Levitt, M., Smith-Gill, S. J., Air, G., et al. (1989). Conformations of immunoglobulin hypervariable regions. *Nature* 342, 877–883. doi: 10.1038/342877a0

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Clarke, S. G. (2013). Protein methylation at the surface and buried deep: thinking outside the histone box. *Trends Biochem. Sci.* 38, 243–252. doi: 10.1016/j.tibs.2013.02.004

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Clifford, R. L., Singer, C. A., and John, A. E. (2013). Epigenetics and miRNA emerge as key regulators of smooth muscle cell phenotype and function. *Pulm. Pharmacol. Ther.* 26, 75–85. doi: 10.1016/j.pupt.2012.07.002

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Cohen, S., Levi-Montalcini, R., and Hamburger, V. (1954). Nerve growth-stimulating factor isolated from sarcomas 37 and 180. *Proc. Natl. Acad. Sci. U. S. A.* 40, 1014–1018. doi: 10.1073/pnas.40.10.1014

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Conrad, P. A., Meek, L. A., and Dumit, J. (2013). Operationalizing a one health approach to global health challenges. *Comp. Immunol. Microbiol. Infect. Dis.* 36, 211–216. doi: 10.1016/j.cimid.2013.03.006

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Cori, C. F., and Cori, G. T. (1925). The sugar concentration in arterial and venous blood during insulin action. *Am. J. Physiol.* 71, 688–707.

Cori, K. F., and Cori, G. T. (1923). A method for the study of liver metabolism. *Proc. Soc. Exp. Biol. Med.* 20, 409. doi: 10.3181/00379727-20-198

[CrossRef Full Text](#)

Dani, N., Barbosa, A. J., Del Rio, A., and Di Girolamo, M. (2013). ADP-ribosylated proteins as old and new drug targets for anticancer therapy: the example of ARF6. *Curr. Pharm. Des.* 19, 624–633. doi: 10.2174/138161213804581882

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Dassati, S., Waldner, A., and Schweigreiter, R. (2014). Apolipoprotein D takes center stage in the stress response of the aging and degenerative brain. *Neurobiol. Aging* 35, 1632–1642. doi: 10.1016/j.neurobiolaging.2014.01.148

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Deichmann, U., Schuster, S., Mazat, J. P., and Cornish-Bowden, A. (2014). Commemorating the 1913 Michaelis-Menten paper Die Kinetik der Invertinwirkung: three perspectives. *FEBS J.* 30, 121–123. doi: 10.1111/febs.12598

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Diederichs, S. (2014). The four dimensions of noncoding RNA conservation. *Trends Genet.* 281, 435–463. doi: 10.1016/j.tig.2014.01.004

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Di Leva, G., and Croce, C. M. (2013). miRNA profiling of cancer. *Curr. Opin. Genet. Dev.* 23, 3–11. doi: 10.1016/j.gde.2013.01.004

<https://assignbuster.com/grand-challenges-in-cellular-biochemistry-the-next-gen-biochemistry/>

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Doll, C. A., and Broadie, K. (2014). Impaired activity-dependent neural circuit assembly and refinement in autism spectrum disorder genetic models. *Front. Cell Neurosci.* . 8: 30. doi: 10.3389/fncel.2014.00030

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Dos Santos-Pinto, J. R., Lamprecht, G., Chen, W. Q., Heo, S., Hardy, J. G., Prieländer, H., et al. (2014). Structure and post-translational modifications of the web silk protein spidroin-1 from Nephila spiders. *J. Proteomics* . doi: 10.1016/j.jprot.2014.01.002. [Epub ahead of print].

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Emden, G., and Glaessner, K. (1901). About the place of the ether sulfuric acid formation in the animal body. *[machine translation]* . *Beitr. z. chem. Physiol. u. Pathol. Pathol.* . 1, 310–327.

Falaleeva, M., and Stamm, S. (2013). Processing of snoRNAs as a new source of regulatory non-coding RNAs: snoRNA fragments form a new class of functional RNAs. *Bioessays* 35, 46–54. doi: 10.1002/bies.201200117

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Fargin, A., Raymond, J. R., Lohse, M. J., Kobilka, B. K., Caron, M. G., and Lefkowitz, R. J. (1988). The genomic clone G-21 which resembles a β -adrenergic receptor sequence encodes the 5-HT_{1A} receptor. *Nature* 335, 358–360. doi: 10.1038/335358a0

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Fatica, A., and Bozzoni, I. (2014). Long non-coding RNAs: new players in cell differentiation and development. *Nat. Rev. Genet.* 15, 7–21. doi: 10.1038/nrg3606

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Feng, X., Wang, Z., Fillmore, R., and Xi, Y. (2014). MiR-200, a new star miRNA in human cancer. *Cancer Lett.* 344, 166–173. doi: 10.1016/j.canlet.2013.11.004

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Fischer, E. H. (2013). Cellular regulation by protein phosphorylation. *Biochem. Biophys. Res. Commun.* 430, 865–867. doi: 10.1016/j.bbrc.2012.10.024

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Fischer, E. H., Graves, D. J., Crittenden, E. R. S., and Krebs, E. G. (1959). Structure of the site phosphorylated in the phosphorylase b to a reaction. *J. Biol. Chem.* 234, 1698–1704.

[Pubmed Abstract](#) | [Pubmed Full Text](#)

Franklin, R. E. (1950). Influence of the bonding electrons on the scattering of X-rays by carbon. *Nature* 165, 71. doi: 10.1038/165071a0

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Frielle, T., Collins, S., Daniel, K. W., Caron, M. G., Lefkowitz, R. J., and Kobilka, B. K. (1987). Cloning of the cDNA for the human β 1-adrenergic receptor. *Proc. Natl. Acad. Sci. U. S. A.* 84, 7920–7924. doi: 10.1073/pnas.84.22.7920

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Galbete, C., Toledo, J., Martinez-Gonzalez, M. A., Martinez, J. A., Guillen-Grima, F., and Marti, A. (2013). Lifestyle factors modify obesity risk linked to PPARG2 and FTO variants in an elderly population: a cross-sectional analysis in the SUN Project. *Genes Nutr.* 8, 61–67. doi: 10.1007/s12263-012-0296-4

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Giulivi, C., Traaseth, N. J., and Davies, K. J. (2003). Tyrosine oxidation products: analysis and biological relevance. *Amino Acids* 25, 227–232. doi: 10.1007/s00726-003-0013-0

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Gnankine, O., Bassole, I. H., Chandre, F., Glitho, I., Akogbeto, M., Dabire, R. K., et al. (2013). Insecticide resistance in *Bemisia tabaci* Gennadius (Homoptera: Aleyrodidae) and *Anopheles gambiae* Giles (Diptera: Culicidae) could compromise the sustainability of malaria vector control strategies in West Africa. *Acta Trop.* 128, 7–17. doi: 10.1016/j.actatropica.2013.06.004

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Gonda, D. D., Akers, J. C., Kim, R., Kalkanis, S. N., Hochberg, F. H., Chen, C. C., et al. (2013). Neuro-oncologic applications of exosomes, microvesicles, and other nano-sized extracellular particles. *Neurosurgery* 72, 501–510. doi: 10.1227/NEU.0b013e3182846e63

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Gould, N., Doulias, P. T., Tenopoulou, M., Raju, K., and Ischiropoulos, H. (2013). Regulation of protein function and signaling by reversible cysteine S-nitrosylation. *J. Biol. Chem.* 288, 26473–26479. doi: 10.1074/jbc.R113.460261

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Gutierrez, A. H., Spero, D. M., Gay, C., Zimic, M., and De Groot, A. S. (2012). New vaccines needed for pathogens infecting animals and humans: one health. *Hum. Vaccin. Immunother.* 8, 971–978. doi: 10.4161/hv.20202

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Hamaoka, T., McCully, K. K., Niwayama, M., and Chance, B. (2011). The use of muscle near-infrared spectroscopy in sport, health and medical sciences: recent developments. *Philos. Trans. A Math. Phys. Eng. Sci.* 369, 4591–4604. doi: 10.1098/rsta.2011.0298

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Harden, A. (1911). *Alcoholic fermentation*. London: Longmans, Green and Co.

Heim, R., Prasher, D. C., and Tsien, R. Y. (1994). Wavelength mutations and posttranslational autoxidation of green fluorescent protein. *Proc. Natl. Acad. Sci. U. S. A.* 91, 12501–12504. doi: 10.1073/pnas.91.26.12501

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Hershko, A., and Ciechanover, A. (1992). The ubiquitin system for protein degradation. *Annu. Rev. Biochem.* 61, 761–807. doi: 10.1146/annurev.bi.61.070192.003553

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Hershko, A., Ciechanover, A., Heller, H., Haas, A. L., and Rose, I. A. (1980). Proposed role of ATP in protein breakdown: conjugation of proteins with multiple chains of the polypeptide of ATP-dependent proteolysis. *Proc. Natl. Acad. Sci. U. S. A.* 77, 1783–1786. doi: 10.1073/pnas.77.4.1783

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Hill, A. C. (1898). LXVI.—Reversible zymohydrolysis. *J. Chem. Soc. Trans.* 73, 634–658. doi: 10.1039/ct8987300634

[CrossRef Full Text](#)

Houssay, A. B. (1945). *La accion diabetogena de la hipofisis*. Buenos Aires: Sebastian de Amorrotu e Hijos.

Houssay, A. B. (1948). Diabetogenic activity of the fetal hypophysis. *Rev. Soc. Argent. Biol.* 24, 24–27.

Inal, J. M., Kosgodage, U., Azam, S., Stratton, D., Antwi-Baffour, S., and Lange, S. (2013). Blood/plasma secretome and microvesicles. *Biochim. Biophys. Acta* 1834, 2317–2325. doi: 10.1016/j.bbapap.2013.04.005

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Jaenicke, L. (2007). Centenary of the award of a Nobel prize to Eduard Buchner, the father of biochemistry in a test tube and thus of experimental molecular bioscience. *Angew. Chem. Int. Ed Engl.* 46, 6776–6782. doi: 10.1002/anie.200700390

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Johnson, J. A., Burkley, B. M., Langaee, T. Y., Clare-Salzler, M. J., Klein, T. E., and Altman, R. B. (2012). Implementing personalized medicine: development of a cost-effective customized pharmacogenetics genotyping array. *Clin. Pharmacol. Ther.* 92, 437–439. doi: 10.1038/clpt.2012.125

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Johnson, K. A. (2013). A century of enzyme kinetic analysis, 1913 to 2013. *FEBS Lett.* 587, 2753–2766. doi: 10.1016/j.febslet.2013.07.012

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Johnsson, P., Lipovich, L., Grander, D., and Morris, K. V. (2014). Evolutionary conservation of long non-coding RNAs; sequence, structure, function. *Biochim. Biophys. Acta* 1840, 1063–1071. doi: 10.1016/j.bbagen.2013.10.035

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Karplus, M. (1959). Contact electron-spin coupling of nuclear magnetic moments. *J. Chem. Phys.* 30, 11–15. doi: 10.1063/1.1729860

[CrossRef Full Text](#)

Karplus, M. (1963). Vicinal proton coupling in nuclear magnetic resonance. *J. Am. Chem. Soc.* 85, 2870–2871. doi: 10.1021/ja00901a059

[CrossRef Full Text](#)

Kim, T. H., Hwang, S. B., Jeong, P. Y., Lee, J., and Cho, J. W. (2005). Requirement of tyrosylprotein sulfotransferase-A for proper cuticle formation in the nematode *C. elegans*. *FEBS Lett.* 579, 53–58. doi: 10.1016/j.febslet.2004.11.044

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Kornberg, A. (2003). Ten commandments of enzymology, amended. *Trends Biochem. Sci.* 28, 515–517. doi: 10.1016/j.tibs.2003.08.007

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Kornberg, R. D. (1974). Chromatin structure: a repeating unit of histones and DNA. *Science* 184, 868–871. doi: 10.1126/science.184.4139.868

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Kornberg, R. D. (1977). Structure of chromatin. *Annu. Rev. Biochem.* 46, 931–954. doi: 10.1146/annurev.bi.46.070177.004435

<https://assignbuster.com/grand-challenges-in-cellular-biochemistry-the-next-gen-biochemistry/>

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Krebs, H. A., and Johnson, W. A. (1937). Citric acid in intermediate metabolism in animal tissues. *Enzymologia* 4, 148–156.

Lee, T. H., D'Asti, E., Magnus, N., Al-Nedawi, K., Meehan, B., and Rak, J. (2011). Microvesicles as mediators of intercellular communication in cancer—the emerging science of cellular “debris.” *Semin. Immunopathol.* 33, 455–467. doi: 10.1007/s00281-011-0250-3

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Lee, Y., El Andaloussi, S., and Wood, M. J. (2012). Exosomes and microvesicles: extracellular vesicles for genetic information transfer and gene therapy. *Hum. Mol. Genet.* 21, R125–R134. doi: 10.1093/hmg/dds317

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Lehninger, A. L. (1942). The acid-splitting reaction of acetoacetic acid and the enzymic formation of acetic acid from acetoacetic acid. *J. Biol. Chem.* 143, 147–157.

Lehninger, A. L. (1945). Fatty acid oxidation and the Krebs trocarboxylic acid cycle. *J. Biol. Chem.* 161, 413.

[Pubmed Abstract](#) | [Pubmed Full Text](#)

Levi-Montalcini, R., and Amprino, R. (1947). Recherches experimentales sur l'origine du ganglion ciliaire dans l'embryon de poulet. *Arch. Biol. (Liege)* 58, 265–288.

<https://assignbuster.com/grand-challenges-in-cellular-biochemistry-the-next-gen-biochemistry/>

Levitt, M., and Warshel, A. (1975). Computer simulation of protein folding. *Nature (London)* 253, 694–698. doi: 10.1038/253694a0

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Louro, R., Smirnova, A. S., and Verjovski-Almeida, S. (2009). Long intronic noncoding RNA transcription: expression noise or expression choice? *Genomics* 93, 291–298. doi: 10.1016/j.ygeno.2008.11.009

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Lowe, B. (2009). *Roman Iberia, Economy, Society and Culture*. London: Duckworth.

Loyer, X., Vion, A. C., Tedgui, A., and Boulanger, C. M. (2014). Microvesicles as cell-cell messengers in cardiovascular diseases. *Circ. Res.* 114, 345–353. doi: 10.1161/CIRCRESAHA.113.300858

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Lui, L., and Lowe, T. (2013). Small nucleolar RNAs and RNA-guided post-transcriptional modification. *Essays Biochem.* 54, 53–77. doi: 10.1042/bse0540053

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Luo, Y., Guo, Z., and Li, L. (2013). Evolutionary conservation of microRNA regulatory programs in plant flower development. *Dev. Biol.* 380, 133–144. doi: 10.1016/j.ydbio.2013.05.009

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Lyall, K., Schmidt, R. J., and Hertz-Pannier, I. (2014). Maternal lifestyle and environmental risk factors for autism spectrum disorders. *Int. J. Epidemiol.* doi: 10.1093/ije/dyt282. [Epub ahead of print].

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Maclean, L., Myburgh, E., Rodgers, J., and Price, H. P. (2013). Imaging African trypanosomes. *Parasite Immunol.* 35, 283–294. doi: 10.1111/pim.12046

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Manchester, K. L. (2000). Biochemistry comes of age: a century of endeavour. *Endeavour* 24, 22–27. doi: 10.1016/S0160-9327(99)01224-7

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Marco, A., Ninova, M., and Griffiths-Jones, S. (2013). Multiple products from microRNA transcripts. *Biochem. Soc. Trans.* 41, 850–854. doi: 10.1042/BST20130035

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Martens-Uzunova, E. S., Olvedy, M., and Jenster, G. (2013). Beyond microRNA-novel RNAs derived from small non-coding RNA and their implication in cancer. *Cancer Lett.* 340, 201–211. doi: 10.1016/j.canlet.2012.11.058

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Martins, V. R., Dias, M. S., and Hainaut, P. (2013). Tumor-cell-derived microvesicles as carriers of molecular information in cancer. *Curr. Opin. Oncol.* . 25, 66–75. doi: 10. 1097/CCO. 0b013e32835b7c81

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Meyerhof, O. (1911). The Respiration of Sea Urchins Eggs (Strongylocentrotus lividus) in Pure Sodium Chloride Solutions. *Biochem. Z.* . 33, 291–302.

Michaelis, L., and Menten, M. M. (2013). The kinetics of invertin *action* . 1913. *FEBS Lett.* . 587, 2712–2720. doi: 10. 1016/j. febslet. 2013. 07. 015

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Michelet, L., Zaffagnini, M., Morisse, S., Sparla, F., Perez-Perez, M. E., Francia, F., et al. (2013). Redox regulation of the Calvin-Benson cycle: something old, something new. *Front. Plant Sci.* . 4: 470. doi: 10. 3389/fpls. 2013. 00470

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Miller, M., and Olea-Popelka, F. (2013). One Health in the shrinking world: experiences with tuberculosis at the human-livestock-wildlife interface. *Comp. Immunol. Microbiol. Infect. Dis.* . 36, 263–268. doi: 10. 1016/j. cimid. 2012. 07. 005

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Mitchell, P. (1961). Coupling of phosphorylation to electron and hydrogen transfer by a chemiosmotic type of mechanism. *Nature* 191, 144–148. doi: 10.1038/191144a0

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Moeller, H. B., and Fenton, R. A. (2012). Cell biology of vasopressin-regulated aquaporin-2 trafficking. *Pflugers Arch.* 464, 133–144. doi: 10.1007/s00424-012-1129-4

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Moore, K. E., and Gozani, O. (2014). An unexpected journey: lysine methylation across the proteome. *Biochim. Biophys. Acta*. doi: 10.1016/j.bbagen.2014.02.008. [Epub ahead of print].

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Mullis, K., Faloona, F., Scharf, S., Saiki, R., Horn, G., and Erlich, H. (1986). Specific enzymatic amplification of DNA *in vitro* : the polymerase chain reaction. *Cold Spring Harb. Symp. Q. Biol.* 51, 263–273. doi: 10.1101/SQB.1986.051.01.032

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Nakagawa, S., and Kageyama, Y. (2014). Nuclear lncRNAs as epigenetic regulators-Beyond skepticism. *Biochim. Biophys. Acta* 1839, 215–222. doi: 10.1016/j.bbagen.2013.10.009

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Nandakumar, N., Buzney, S., and Weiter, J. J. (2012). Lipofuscin and the principles of fundus autofluorescence: a review. *Semin. Ophthalmol.* . 27, 197–201. doi: 10. 3109/08820538. 2012. 711415

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Nandy, A., Gangopadhyay, S., and Mukhopadhyay, A. (2014). Individualizing breast cancer treatment-The dawn of personalized medicine. *Exp. Cell Res.* . 320, 1–11. doi: 10. 1016/j.yexcr. 2013. 09. 002

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Napoli, E., Hung, C., Wong, S., and Giulivi, C. (2013). Toxicity of the flame-retardant BDE-49 on brain mitochondria and neuronal progenitor striatal cells enhanced by a PTEN-deficient background. *Toxicol. Sci.* . 132, 196–210. doi: 10. 1093/toxsci/kfs339

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Nedic, O., Rattan, S. I., Grune, T., and Trougakos, I. P. (2013). Molecular effects of advanced glycation end products on cell signalling pathways, ageing and pathophysiology. *Free Radic. Res.* . 47(Suppl. 1), 28–38. doi: 10. 3109/10715762. 2013. 806798

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Nie, Y., Erion, D. M., Yuan, Z., Dietrich, M., Shulman, G. I., Horvath, T. L., et al. (2009). STAT3 inhibition of gluconeogenesis is downregulated by SirT1. *Nat. Cell Biol.* . 11, 492–500. doi: 10. 1038/ncb1857

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Nielsen, C. E., Wang, X., Robinson, R. J., Brooks, A. L., Lovaglio, J., Patton, K. M., et al. (2014). Carcinogenic and inflammatory effects of plutonium-nitrate retention in an exposed nuclear worker and beagle dogs. *Int. J. Radiat. Biol.* 90, 60–70. doi: 10.3109/09553002.2014.859765

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Novelli, C. D., and Lipmann, F. (1947). The involvement of coenzyme A in acetate oxidation in yeast. *J. Biol. Chem.* 171, 833.

[Pubmed Abstract](#) | [Pubmed Full Text](#)

O'Carroll, D., and Schaefer, A. (2013). General principals of miRNA biogenesis and regulation in the brain. *Neuropsychopharmacology* 38, 39–54. doi: 10.1038/npp.2012.87

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Ochoa, S., and Valdecasas, J. G. (1929). A microchemical method for the estimation of total creatinine in muscle. *J. Biol. Chem.* 81, 381–387.

Palotie, A., Widen, E., and Ripatti, S. (2013). From genetic discovery to future personalized health research. *N. Biotechnol.* 30, 291–295. doi: 10.1016/j.nbt.2012.11.013

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Parnas, J. (1911). Fermentive acceleration by tissue juices of the cannizaro aldehyde transformation. *I. Biochem. Z.* 28, 274–294.

Pasteur, L. and Berthelot, M. (1906). Theory of fermentation. *Compt. Rend.* lxxxvii, 125–129.

Patel, K., Choy, S. S., Hicks, K. O., Melink, T. J., Holford, N. H., and Wilson, W. R. (2011). A combined pharmacokinetic model for the hypoxia-targeted prodrug PR-104A in humans, dogs, rats and mice predicts species differences in clearance and toxicity. *Cancer Chemother. Pharmacol.* 67, 1145–1155. doi: 10.1007/s00280-010-1412-z

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Pauling, L., and Corey, R. B. (1951). Configurations of polypeptide chains with favored orientations around single bonds: two new pleated sheets. *Proc. Natl. Acad. Sci. U. S. A.* 37, 729–740. doi: 10.1073/pnas.37.11.729

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Pauling, L., Corey, R. B., and Branson, H. R. (1951). The structure of proteins: two hydrogen-bonded helical configurations of the polypeptide chain. *Proc. Natl. Acad. Sci. U. S. A.* 37, 205–211. doi: 10.1073/pnas.37.4.205

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Pauling, L., Itano, H. A., Singer, S. J., and Wells, I. C. (1949). Sickle cell anemia, a molecular disease. *Science* 110, 543–548. doi: 10.1126/science.110.2865.543

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Perluigi, M., Swomley, A. M., and Butterfield, D. A. (2014). Redox proteomics and the dynamic molecular landscape of the aging brain. *Ageing Res. Rev.* 13C, 75–89. doi: 10.1016/j.arr.2013.12.005

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Perutz, M. F. (1942). Crystal structure of oxyhemoglobin. *Nature* 150, 324–325. doi: 10.1038/150324a0

[CrossRef Full Text](#)

Pimentel, D., Haeussler, D. J., Matsui, R., Burgoyne, J. R., Cohen, R. A., and Bachschmid, M. M. (2012). Regulation of cell physiology and pathology by protein S-glutathionylation: lessons learned from the cardiovascular system. *Antioxid. Redox Signal.* 16, 524–542. doi: 10.1089/ars.2011.4336

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Principe, S., Hui, A. B., Bruce, J., Sinha, A., Liu, F. F., and Kislinger, T. (2013). Tumor-derived exosomes and microvesicles in head and neck cancer: implications for tumor biology and biomarker discovery. *Proteomics* 13, 1608–1623. doi: 10.1002/pmic.201200533

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Quesenberry, P. J., and Aliotta, J. M. (2010). Cellular phenotype switching and microvesicles. *Adv. Drug Deliv. Rev.* 62, 1141–1148. doi: 10.1016/j.addr.2010.06.001

<https://assignbuster.com/grand-challenges-in-cellular-biochemistry-the-next-gen-biochemistry/>

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Rak, J. (2010). Microparticles in cancer. *Semin. Thromb. Hemost.* 36, 888–906. doi: 10.1055/s-0030-1267043

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Ramkumar, K. M., Sekar, T. V., Bhakkiyalakshmi, E., Foygel, K., Rajaguru, P., Berger, F., et al. (2013). The impact of oxidative stress on islet transplantation and monitoring the graft survival by non-invasive imaging. *Curr. Med. Chem.* 20, 1127–1146. doi: 10.2174/0929867311320090003

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Razquin, C., Martí, A., and Martínez, J. A. (2011). Evidences on three relevant obesogenes: MC4R, FTO and PPARgamma. Approaches for personalized nutrition. *Mol. Nutr. Food Res.* 55, 136–149. doi: 10.1002/mnfr.201000445

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Redman, C. W., Tannetta, D. S., Dragovic, R. A., Gardiner, C., Southcombe, J. H., Collett, G. P., et al. (2012). Review: does size matter? Placental debris and the pathophysiology of pre-eclampsia. *Placenta* 33(Suppl), S48–S54. doi: 10.1016/j.placenta.2011.12.006

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Reid, I. R., Bolland, M. J., and Grey, A. (2014). Effects of vitamin D supplements on bone mineral density: a systematic review and meta-analysis. *Lancet* 383, 146–155. doi: 10.1016/S0140-6736(13)61647-5

<https://assignbuster.com/grand-challenges-in-cellular-biochemistry-the-next-gen-biochemistry/>

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Running, M. P. (2014). The role of lipid post-translational modification in plant developmental processes. *Front. Plant Sci.* 5: 50. doi: 10.3389/fpls.2014.00050

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Russell, L. B. (2013). The Mouse House: a brief history of the ORNL mouse-genetics program, 1947-2009. *Mutat. Res.* 753, 69–90. doi: 10.1016/j.mrrev.2013.08.003

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Sadallah, S., Eken, C., and Schifferli, J. A. (2011). Ectosomes as modulators of inflammation and immunity. *Clin. Exp. Immunol.* 163, 26–32. doi: 10.1111/j.1365-2249.2010.04271.x

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Sanger, F. (1945). Free amino groups of insulin. *Biochem. J.* 39, 507–515.

[Pubmed Abstract](#) | [Pubmed Full Text](#)

Schmidt, M., and Finley, D. (2014). Regulation of proteasome activity in health and disease. *Biochim. Biophys. Acta* 1843, 13–25. doi: 10.1016/j.bbamcr.2013.08.012

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Schmidt, R. J., Tancredi, D. J., Ozonoff, S., Hansen, R. L., Hartiala, J., Allayee, H., et al. (2012). Maternal periconceptional folic acid intake and risk of autism spectrum disorders and developmental delay in the CHARGE (CHildhood Autism Risks from Genetics and Environment) case-control study. *Am. J. Clin. Nutr.* 96, 80–89. doi: 10.3945/ajcn.110.004416

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Schreiber, A., and Peter, M. (2014). Substrate recognition in selective autophagy and the ubiquitin-proteasome system. *Biochim. Biophys. Acta* 1843, 163–181. doi: 10.1016/j.bbamcr.2013.03.019

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Shimomura, O. (1979). Structure of the chromophore of Aequorea green fluorescent protein. *FEBS Lett.* 104, 220–222. doi: 10.1016/0014-5793(79)80818-2

[CrossRef Full Text](#)

Sibley, D. R., Strasser, R. H., Benovic, J. L., Daniel, K., and Lefkowitz, R. J. (1986). Phosphorylation/dephosphorylation of the β-adrenergic receptor regulates its functional coupling to adenylate cyclase and subcellular distribution. *Proc. Natl. Acad. Sci. U. S. A.* 83, 9408–9412. doi: 10.1073/pnas.83.24.9408

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Sidor, M. M., and McClung, C. A. (2014). Timing matters: using optogenetics to chronically manipulate neural circuitry and rhythms. *Front. Behav. Neurosci.* . 8: 41. doi: 10. 3389/fnbeh. 2014. 00041

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Smith, M. (1982). Site-directed mutagenesis. *Trends Biochem. Sci.* . 7, 440–442. doi: 10. 1016/S0968-0004(82)80013-3

[CrossRef Full Text](#)

Soleti, R., and Martinez, M. C. (2012). Sonic Hedgehog on microparticles and neovascularization. *Vitam. Horm.* . 88, 395–438. doi: 10. 1016/B978-0-12-394622-5. 00018-3

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Sousa Silva, M., Gomes, R. A., Ferreira, A. E., Ponces Freire, A., and Cordeiro, C. (2013). The glyoxalase pathway: the first hundred years... *and beyond* . *Biochem. J.* . 453, 1–15. doi: 10. 1042/BJ20121743

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Spasser, L., and Brik, A. (2012). Chemistry and biology of the ubiquitin signal. *Angew. Chem. Int. Ed. Engl.* . 51, 6840–6862. doi: 10. 1002/anie. 201200020

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Springer, T., Galfre, G., Secher, D. S., and Milstein, C. (1979). Mac-1: a macrophage differentiation antigen identified by monoclonal antibody. *Eur. J. Immunol.* 9, 301–306. doi: 10.1002/eji.1830090410

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Stenson, P. D., Mort, M., Ball, E. V., Shaw, K., Phillips, A., and Cooper, D. N. (2014). The Human Gene Mutation Database: building a comprehensive mutation repository for clinical and molecular genetics, diagnostic testing and personalized genomic medicine. *Hum. Genet.* 133, 1–9. doi: 10.1007/s00439-013-1358-4

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Storck, E. M., Serwa, R. A., and Tate, E. W. (2013). Chemical proteomics: a powerful tool for exploring protein lipidation. *Biochem. Soc. Trans.* 41, 56–61. doi: 10.1042/BST20120283

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Tay, Y., Rinn, J., and Pandolfi, P. P. (2014). The multilayered complexity of ceRNA crosstalk and competition. *Nature* 505, 344–352. doi: 10.1038/nature12986

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Tummler, K., Lubitz, T., Schelker, M., and Klipp, E. (2014). New types of experimental data shape the use of enzyme kinetics for dynamic network modeling. *FEBS J.* 281, 549–571. doi: 10.1111/febs.12525

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Ulmasov, B., Oshima, K., Rodriguez, M. G., Cox, R. D., and Neuschwander-Tetri, B. A. (2013). Differences in the degree of cerulein-induced chronic pancreatitis in C57BL/6 mouse substrains lead to new insights in identification of potential risk factors in the development of chronic pancreatitis. *Am. J. Pathol.* 183, 692–708. doi: 10.1016/j.ajpath.2013.05.020

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

van Dommelen, S. M., Vader, P., Lakhal, S., Kooijmans, S. A., van Solinge, W. W., Wood, M. J., et al. (2012). Microvesicles and exosomes: opportunities for cell-derived membrane vesicles in drug delivery. *J. Control. Release* 161, 635–644. doi: 10.1016/j.jconrel.2011.11.021

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Vaudel, M., Sickmann, A., and Martens, L. (2014). Introduction to opportunities and pitfalls in functional mass spectrometry based proteomics. *Biochim. Biophys. Acta* 1844, 12–20. doi: 10.1016/j.bbapap.2013.06.019

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Vernau, K. M., Runstadler, J. A., Brown, E. A., Cameron, J. M., Huson, H. J., Higgins, R. J., et al. (2013). Genome-wide association analysis identifies a mutation in the thiamine transporter 2 (SLC19A3) gene associated with Alaskan Husky encephalopathy. *PLoS ONE* 8: e57195. doi: 10.1371/journal.pone.0057195

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Vickers, K. C., and Remaley, A. T. (2012). Lipid-based carriers of microRNAs and intercellular communication. *Curr. Opin. Lipidol.* . 23, 91–97. doi: 10.1097/MOL. 0b013e328350a425

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Volk, S. W., and Theoret, C. (2013). Translating stem cell therapies: the role of companion animals in regenerative medicine. *Wound Repair Regen.* . 21, 382–394. doi: 10.1111/wrr. 12044

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Walker, J. E., Saraste, M., Runswick, M. J., and Gay, N. J. (1982). Distantly related sequences in the alpha- and beta-subunits of ATP synthase, myosin, kinases and other ATP-requiring enzymes and a common nucleotide binding fold. *EMBO J.* . 1, 945–951.

[Pubmed Abstract](#) | [Pubmed Full Text](#)

Wang, Y. C., Peterson, S. E., and Loring, J. F. (2014). Protein post-translational modifications and regulation of pluripotency in human stem cells. *Cell Res.* . 24, 143–160. doi: 10.1038/cr. 2013. 151

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Warshel, A., and Levitt, M. (1976). Theoretical studies of enzymic reactions: dielectric, electrostatic and steric stabilization of the carbonium ion in the

reaction of lysozyme. *J. Mol. Biol.* 103, 227–249. doi: 10.1016/0022-2836(76)90311-9

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Watson, J. D., and Crick, F. H. C. (1953). Genetical implications of the structure of deoxyribose nucleic acid. *Nature* 171, 964–967. doi: 10.1038/171964b0

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Whitehead, J., Pandey, G. K., and Kanduri, C. (2009). Regulation of the mammalian epigenome by long noncoding RNAs. *Biochim. Biophys. Acta* 1790, 936–947. doi: 10.1016/j.bbagen.2008.10.007

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Williams, A. F., Galfre, G., and Milstein, C. (1977). Analysis of cell surfaces by xenogeneic myeloma-hybrid antibodies: differentiation antigens of rat lymphocytes. *Cell* 12, 663–673. doi: 10.1016/0092-8674(77)90266-5

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Winter, G., Fersht, A. R., Wilkinson, A. J., Zoller, M., and Smith, M. (1982). Redesigning enzyme structure by site-directed mutagenesis: tyrosyl tRNA synthetase and ATP binding. *Nature* 299, 756–758. doi: 10.1038/299756a0

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Yalow, R. S., Glick, S. M., Roth, J., and Berson, S. A. (1964).

Radioimmunoassay of human plasma ACTH. *J. Clin. Endocrinol. Metab.* 24, 1219–1225. doi: 10.1210/jcem-24-11-1219

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Yang, L., Vaitheesvaran, B., Hartil, K., Robinson, A. J., Hoopmann, M. R., Eng, J. K., et al. (2011). The fasted/fed mouse metabolic acetylome: N6-acetylation differences suggest acetylation coordinates organ-specific fuel switching. *J. Proteome Res.* 10, 4134–4149. doi: 10.1021/pr200313x

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Yang, X. J., and Chiang, C. M. (2013). Sumoylation in gene regulation, human disease, and therapeutic action. *F1000Prime Rep.* 5, 45. doi: 10.12703/P5-45

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Yoon, J. H., Abdelmohsen, K., and Gorospe, M. (2013). Posttranscriptional gene regulation by long noncoding RNA. *J. Mol. Biol.* 425, 3723–3730. doi: 10.1016/j.jmb.2012.11.024

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Zaffagnini, M., Bedhomme, M., Lemaire, S. D., and Trost, P. (2012). The emerging roles of protein glutathionylation in chloroplasts. *Plant Sci.* 185–186, 86–96. doi: 10.1016/j.plantsci.2012.01.005

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Zheng, W., Fu, S. X., Dydak, U., and Cowan, D. M. (2011). Biomarkers of manganese intoxication. *Neurotoxicology* 32, 1-8. doi: 10.1016/j.neuro.2010.10.002

[Pubmed Abstract](#) | [Pubmed Full Text](#) | [CrossRef Full Text](#)

Zuckerkandl, E., and Pauling, L. (1962). " Molecular disease, evolution, and genetic heterogeneity," in *Horizons in Biochemistry* , eds M. Kasha and M. Pullman (New York, NY: Academic Press), 189–225.